



ยี่ห้อ อัดสาย ขายท่อ

ศูนย์รวมท่อและข้อต่อ บริการอัดสาย
ด้วยมาตรฐานระดับโลก



@hosecenter
 Hose Center
 Hose Center
 Hose Center
www.hosecenter.co.th

สายด่วนเรื่องท่อ
0-2034-6226



สายยางอเนกประสงค์ TOYORON




Features & Spec

Working Temp. -5 to 60°C
RoHS 2 Compliant

Inner Tube Material : Soft PVC
Reinforcement : Polyester Threads
Outer Cover Material : Soft PVC

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (23°C)	Working Pressure bar (60°C)	Min.Bending mm.	Weight kg/roll	Length m/roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TR-4	5/32	4x9	0 ~ 15	0 ~ 10	15	7	100	4,500.00	45.00
TR-6	1/4	6x11	0 ~ 15	0 ~ 10	20	9	100	5,500.00	55.00
TR-8	5/16	8x13.5	0 ~ 15	0 ~ 10	35	13	100	6,800.00	68.00
TR-9	3/8	9x15	0 ~ 15	0 ~ 10	45	15	100	8,700.00	87.00
TR-10	13/32	10x16	0 ~ 12	0 ~ 10	45	16	100	9,700.00	97.00
TR-12	1/2	12x18	0 ~ 12	0 ~ 8	55	19	100	10,400.00	104.00
TR-15	5/8	15x22	0 ~ 10	0 ~ 8	80	27	100	14,500.00	145.00
TR-19	3/4	19x26	0 ~ 10	0 ~ 6	95	16	50	9,200.00	184.00
TR-22	27/32	21.5x29	0 ~ 10	0 ~ 6	120	20	50	13,150.00	263.00
TR-25	1	25x33	0 ~ 10	0 ~ 6	140	25	50	13,850.00	277.00
TR-32	1-1/4	32x41	0 ~ 7	0 ~ 4	185	35	50	21,050.00	421.00
TR-38	1-1/2	38x48	0 ~ 6	0 ~ 4	300	45	50	29,500.00	590.00
TR-45	1-3/4	45x56	0 ~ 6	0 ~ 4	400	48	40	37,200.00	930.00
TR-50	2	50x62	0 ~ 6	0 ~ 3	440	54	40	36,320.00	908.00
TR-63	2-1/2	63x80	0 ~ 4	0 ~ 3	650	53	20	34,180.00	1,709.00
TR-75	3	75x92	0 ~ 3	0 ~ 3	800	62	20	41,120.00	2,056.00

สายยางอเนกประสงค์โค้งงอสูง HYBRID TOYORON



Features & Spec

Working Temp. -5 to 60°C
RoHS 2 Compliant
High Flexibility

Inner Tube Material : Soft PVC
Reinforcement : Polyester threads + PET Wire
Outer Cover Material : Soft PVC

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (23°C)	Working Pressure bar (60°C)	Min.Bending mm.	Weight kg/roll	Length m/roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
HTR-9	3/8	9x15	0 ~ 15	0 ~ 10	40	15	100	18,600.00	186.00
HTR-12	1/2	12x18	0 ~ 12	0 ~ 8	50	19	100	22,600.00	226.00
HTR-15	5/8	15x22	0 ~ 10	0 ~ 8	70	25	100	24,100.00	241.00
HTR-19	3/4	19x26	0 ~ 10	0 ~ 6	90	16	50	14,450.00	289.00
HTR-25	1	25x33	0 ~ 10	0 ~ 6	120	24	50	21,750.00	435.00

สายดูดอเนกประสงค์ทนน้ำมัน TOYOSPRING



Features & Spec

Working Temp. -5 to 60°C
RoHS 2 Compliant

Inner Tube Material : Soft PVC
Reinforcement : Hard Steel Wire
Outer Cover Material : Soft PVC

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Working Pressure bar (60°C)	Min.Bending mm.	Weight kg/roll	Length m/roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TS-6	1/4	6x11	-1 ~ 8	-	25	11	100	7,000.00	70.00
TS-8	5/16	8x13.5	-1 ~ 8	-	35	14	100	8,500.00	85.00
TS-9	3/8	9x15	-1 ~ 8	-	40	17	100	10,000.00	100.00
TS-12	1/2	12x18	-1 ~ 5	-	50	23	100	12,300.00	123.00
TS-15	5/8	15x22	-1 ~ 5	-	60	32	100	16,900.00	169.00
TS-19	3/4	19x26	-1 ~ 4	-	80	21	50	10,900.00	218.00
TS-25	1	25x33	-1 ~ 4	-	100	27	50	15,850.00	317.00
TS-32	1-1/4	32x41	-1 ~ 3	-	130	31	40	18,200.00	455.00
TS-38	1-1/2	38x48	-1 ~ 3	-	150	39	40	24,960.00	624.00
TS-45	1-3/4	45x56	-1 ~ 3	-	189	55	40	34,440.00	861.00
TS-50	2	50x62	-1 ~ 3	-	200	60	40	40,800.00	1,020.00
TS-63	2-1/2	63x80	-1 ~ 2	-	265	54	20	35,400.00	1,770.00
TS-75	3	75x92	-1 ~ 2	-	310	62	20	43,680.00	2,184.00
TS-90	3-1/2	90x108	-1 ~ 2	-	370	44	10	37,820.00	3,782.00
TS-100	4	100x118	-1 ~ 2	-	410	48	10	40,350.00	4,035.00

สายยางอเนกประสงค์ ทับไม่แบน TOYORING



Features & Spec

Working Temp. -5 to 60°C
RoHS 2 Compliant
Shape Restoring

Inner Tube Material : Soft PVC (Non Phthalate)
Reinforcement : Special PET Resin
Outer Cover Material : PVC

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Working Pressure bar (60°C)	Min.Bending mm.	Weight kg/roll	Length m/roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TG-9	3/8	9x15	-1 ~ 8	-	40	14	100	14,200.00	142.00
TG-12	1/2	12x18	-1 ~ 5	-	50	18.5	100	17,200.00	172.00
TG-15	5/8	15x22	-1 ~ 5	-	60	12.5	50	12,450.00	249.00
TG-19	3/4	19x26	-1 ~ 4	-	80	17	50	15,150.00	303.00
TG-25	1	25.4x33.4	-1 ~ 4	-	100	25	50	22,250.00	445.00
TG-32	1-1/4	32x41	-1 ~ 3	-	130	28	40	25,280.00	632.00
TG-38	1-1/2	38x48	-1 ~ 3	-	150	38	40	33,000.00	825.00
TG-50	2	50.8x62.8	-1 ~ 3	-	200	60	40	51,280.00	1,282.00

สายยางอาหารเนกประสงค์ TOYOFOODS

Inner Tube Material : Soft PVC (Non Phthalate)
Reinforcement : Polyester Threads
Outer Cover Material : Soft PVC (Non Phthalate)



Features & Spec
Working Temp. -5 to 70°C
RoHS 2 Compliant
Meets Food Sanitation Act

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Working Pressure bar (70°C)	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TFB-6	1/4	6x11	0 ~ 10	-	30	9	100	7,300.00	73.00
TFB-8	5/16	8x13.5	0 ~ 10	-	40	13	100	9,600.00	96.00
TFB-9	3/8	9x15	0 ~ 10	-	45	15	100	11,500.00	115.00
TFB-10	13/32	10x16	0 ~ 10	-	50	16	100	13,100.00	131.00
TFB-12	1/2	12x18	0 ~ 8	-	65	19	100	14,200.00	142.00
TFB-15	5/8	15x22	0 ~ 8	-	95	27	100	19,600.00	196.00
TFB-19	3/4	19x26	0 ~ 6	-	120	16	50	12,400.00	248.00
TFB-25	1	25x33	0 ~ 6	-	165	25	50	18,750.00	375.00
TFB-32	1-1/4	32x41	0 ~ 4	-	200	35	50	28,200.00	564.00
TFB-38	1-1/2	38x48	0 ~ 4	-	300	45	50	39,750.00	795.00
TFB-50	2	50x62	0 ~ 3	-	440	54	40	49,040.00	1,226.00

สายดูดอาหารเนกประสงค์ TOYOFOODS-S

Inner Tube Material : Soft PVC (Non Phthalate)
Reinforcement : Hard Steel Wire
Outer Cover Material : Soft PVC (Non Phthalate)



Features & Spec
Working Temp. -5 to 70°C
RoHS 2 Compliant
Meets Food Sanitation Act

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (50°C)	Working Pressure bar (70°C)	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TFS-25	1	25x33	-1 ~ 4	-1 ~ 3	100	30	50	32,850.00	657.00
TFS-32	1-1/4	32x41	-1 ~ 3	-1 ~ 2	130	34	40	38,800.00	970.00
TFS-38	1-1/2	38x48	-1 ~ 3	-1 ~ 2	150	43	40	43,120.00	1,078.00
TFS-50	2	50x62	-1 ~ 3	-1 ~ 2	2000	66	40	60,320.00	1,508.00
TFS-63	2-1/2	63x80	-1 ~ 2	-1 ~ 1	250	56	20	53,000.00	2,650.00
TFS-75	3	75x92	-1 ~ 2	-1 ~ 1	310	60	20	79,260.00	3,963.00
TFS-100	4	100x118	-1 ~ 2	-1 ~ 1	410	44	10	75,230.00	7,523.00

สายดูดอาหารเนกประสงค์กับไม้แบน TOYORING-F

Inner Tube Material : Soft PVC (Non Phthalate)
Reinforcement : Special PET Resin
Outer Cover Material : Soft PVC (Non Phthalate)



Features & Spec
Working Temp. -5 to 70°C
RoHS 2 Compliant
Meets Food Sanitation Act

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (50°C)	Working Pressure bar (70°C)	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TGF-15-50	5/8	15x22	-1 ~ 4	-1 ~ 3	60	14	50	21,150.00	423.00
TGF-19-50	3/4	19x26	-1 ~ 4	-1 ~ 3	80	17	50	25,400.00	508.00
TGF-25-50	1	25.4x33.4	-1 ~ 4	-1 ~ 3	100	25	50	37,900.00	758.00
TGF-32-40	1-1/4	32x41	-1 ~ 3	-1 ~ 2	130	28	40	42,440.00	1,061.00
TGF-38-40	1-1/2	38x48	-1 ~ 3	-1 ~ 2	150	38	40	55,200.00	1,380.00
TGF-50-40	2	50.8x62.8	-1 ~ 3	-1 ~ 2	200	60	40	85,960.00	2,149.00

สายอาหารนสารเคมี ECORON

Inner Tube Material : Polyolefin Resin
Reinforcement : Polyester Threads (NTS)
Outer Cover Material : Styrene Resin




Feature: & Spec
Working Temp. -5 to 60°C
RoHS 2 Compliant
Meets Food Sanitation Act
For Indoor Use Only

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (23°C)	Working Pressure bar (60°C)	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
EC-6	1/4	6x11	0 ~ 10	0 ~ 5	25	8	100	14,500.00	145.00
EC-8	5/16	8x13.5	0 ~ 10	0 ~ 5	35	10	100	20,400.00	204.00
EC-9	3/8	9x15	0 ~ 8	0 ~ 5	50	15	100	21,000.00	210.00
EC-12	1/2	12x18	0 ~ 8	0 ~ 4	70	16	100	25,300.00	253.00
EC-15	5/8	15x22	0 ~ 8	0 ~ 4	80	23	100	37,200.00	372.00
EC-19	3/4	19x26	0 ~ 8	0 ~ 4	130	14	50	21,800.00	436.00
EC-25	1	25x33	0 ~ 5	0 ~ 3	170	21	50	32,900.00	658.00
EC-32	1-1/4	32x41	0 ~ 4	0 ~ 2	200	26	40	44,840.00	1,121.00
EC-38	1-1/2	38x48	0 ~ 4	0 ~ 2	230	34	40	58,920.00	1,473.00
EC-50	2	50x62	0 ~ 3	0 ~ 2	290	50	40	91,880.00	2,297.00

สายดูดอาหารนสารเคมี ECONRON-S

Inner Tube Material : Polyolefin Resin
Reinforcement : Hard Steel Wire
Outer Cover Material : Styrene Resin



Features & Spec
Working Temp. -5 to 60°C
RoHS 2 Compliant
Meets Food Sanitation Act
For Indoor Use Only

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (23°C)	Working Pressure bar (60°C)	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
ECS-25	1	25x33	-1 ~ 3	-1 ~ 1	180	27	50	31,600.00	632.00
ECS-32	1-1/4	32x41	-1 ~ 3	-1 ~ 1	330	28	40	43,480.00	1,087.00
ECS-38	1-1/2	38x48	-1 ~ 3	-1 ~ 1	390	39	40	49,920.00	1,248.00
ECS-50	2	50x62	-1 ~ 2	-1 ~ 1	520	60	40	82,240.00	2,056.00



สายอาหารทนสารเคมีพิเศษ TOYOFUSSO



Features & Spec

Working Temp. -5 to 70°C
RoHS 2 Compliant
High Chemical Resistance

Inner Tube Material : Tetrafluoro Resin
Reinforcement : Polyester Threads
Outer Cover Material : Soft PVC

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (23°C)	Working Pressure bar (70°C)	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
FF-9-20	3/8	9x15	0 ~ 10	0 ~ 5	65	3.1	20	21,000.00	1,050.00
FF-12-20	1/2	12x18	0 ~ 10	0 ~ 5	85	3.5	20	29,080.00	1,454.00
FF-15-20	5/8	15x22	0 ~ 10	0 ~ 5	105	5	20	43,100.00	2,155.00
FF-19-20	3/4	19x26	0 ~ 10	0 ~ 5	135	7	20	57,640.00	2,882.00
FF-25-20	1	25x33	0 ~ 6	0 ~ 3	175	8.6	20	73,280.00	3,664.00
FF-32-20	1-1/4	32x41	0 ~ 5	0 ~ 3	225	14	20	106,320.00	5,316.00
FF-38-20	1-1/2	38x48	0 ~ 5	0 ~ 3	265	19	20	146,680.00	7,334.00
FF-50-10	2	50x62	0 ~ 4	0 ~ 2	500	15	10	97,780.00	9,778.00

สายอาหารทนสารเคมีพิเศษกันไฟฟ้าสถิต TOYOFUSSO-E



Features & Spec

Working Temp. -5 to 70°C
RoHS 2 Compliant
Antistatic
High Chemical Resistance

Inner Tube Material : Tetrafluoro Resin + Antistatic Line
Reinforcement : Polyester Threads
Outer Cover Material : Polyurethane Resin

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (23°C)	Working Pressure bar (70°C)	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
FFE-12-20	1/2	12x18	0 ~ 10	0 ~ 5	85	3.5	20	36,720.00	1,836.00
FFE-15-20	5/8	15x22	0 ~ 10	0 ~ 5	105	5	20	54,460.00	2,723.00
FFE-19-20	3/4	19x26	0 ~ 10	0 ~ 5	135	7	20	72,780.00	3,639.00
FFE-25-20	1	25x33	0 ~ 6	0 ~ 3	175	8.6	20	92,560.00	4,628.75

สายดูดอาหารทนสารเคมีพิเศษ TOYOFUSSO-S




Features & Spec

Working Temp. -20 to 80°C
RoHS 2 Compliant
High Chemical Resistance

Inner Tube Material : Tetrafluoro Resin
Reinforcement : Hard Steel Wire
Outer Cover Material : Polyurethane Resin

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (23°C)	Working Pressure bar (70°C)	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
FFS-15-20	5/8	15x22	-1 ~ 5	-1 ~ 2.5	55	5.5	20	52,160.00	2,608.00
FFS-19-20	3/4	19x26	-1 ~ 4	-1 ~ 2	65	7	20	69,800.00	3,490.00
FFS-25-20	1	25x33	-1 ~ 4	-1 ~ 2	90	10.8	20	88,760.00	4,438.00
FFS-32-20	1-1/4	32x41	-1 ~ 3	-1 ~ 1.5	120	13.6	20	126,080.00	6,304.00
FFS-38-20	1-1/2	38x48	-1 ~ 3	-1 ~ 1.5	140	18.4	20	173,940.00	8,697.00

ข้อต่อเฉพาะสำหรับ TOYOFUSSO TOYOFUSSO Genuine Coupling



Features & Spec

Working Temp. -5 to 150°C
RoHS 2 Compliant
Resistant to Corrosion
Prevents Leaks and Disconnections

Material : SUS 316L

Code No.	Compatible Size	Threading inch	Price (Excluding Vat) THB/pc.
FJN- 9-R3/8	9 Ø	3/8	2,005.00
FJN-12-R1/2	12 Ø	1/2	2,150.00
FJN-15-R1/2	15 Ø	1/2	2,395.00
FJN-19-R3/4	19 Ø	3/4	3,100.00
FJN-25-R1	25 Ø	1	4,375.00
FJN-32-R1-1/4	32 Ø	1-1/4	9,275.00
FJN-38-R1-1/2	38 Ø	1-1/2	12,740.00
FJN-50-R2	50 Ø	2	15,270.00

สายงานสตีม อเนกประสงค์ TOYOSILICONE STEAM



Features & Spec

Working Temp. -30 to 140°C
RoHS 2 Compliant

Inner Tube Material : Silicone Rubber
Reinforcement : Polyester Threads (NTS)
Outer Cover Material : Silicone Rubber

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure Steam 140°C	Working Pressure High-temperature water 140°C	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TSISTM-9	3/8	9.5x16	0 ~ 10	0 ~ 3	3.2	20	21,620.00	1,081.00
TSISTM-12	1/2	12.7x19.5	0 ~ 5	0 ~ 3	2.1	10	12,810.00	1,281.00
TSISTM-15	5/8	15.9x24	0 ~ 5	0 ~ 3	3.1	10	16,750.00	1,675.00
TSISTM-19	3/4	19x28	0 ~ 5	0 ~ 3	4.2	10	21,910.00	2,191.00
TSISTM-25	1	25.4x35.5	0 ~ 5	0 ~ 3	5.9	10	30,300.00	3,030.00

สายอาหารทนความร้อน TOYOSILICONE



Food Grade

Features & Spec

Working Temp. -30 to 150°C

RoHS 2 Compliant
USP Class VI Compliant
FDA Registration

Inner Tube Material : Silicone Rubber
Reinforcement : Polyester Threads (NTS)
Outer Cover Material : Silicone Rubber

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TSI-5	3/16	4.8x10.6	0 ~ 10	70	1.8	20	10,320.00	516.00
TSI-6	1/4	6.3x12.3	0 ~ 10	80	2.3	20	12,040.00	602.00
TSI-8	5/16	7.9x14.3	0 ~ 10	90	2.9	20	13,660.00	683.00
TSI-9	3/8	9.5x16.0	0 ~ 10	100	3.2	20	13,680.00	684.00
TSI-12	1/2	12.7x19.5	0 ~ 5	130	2.1	10	9,080.00	908.00
TSI-15	5/8	15.9x24.0	0 ~ 5	150	3.1	10	11,120.00	1,112.00
TSI-19	3/4	19.0x28.0	0 ~ 5	180	4.1	10	14,690.00	1,469.00
TSI-25	1	25.4x35.5	0 ~ 5	220	5.9	10	21,470.00	2,147.00
TSI-32	1-1/4	32.0x43.5	0 ~ 5	250	8.5	10	36,930.00	3,693.00
TSI-38	1-1/2	38.1x50.5	0 ~ 5	310	10.5	10	45,110.00	4,511.00
TSI-50	2	50.8x64.5	0 ~ 3	550	7.9	5	63,815.00	12,763.00

สายดูดทนความร้อนโค้งงอสูง HYBRID TOYOSILICONE



Food Grade

Features & Spec

Working Temp. -30 to 130°C

RoHS 2 Compliant
FDA Registration

Inner Tube Material : Silicone Rubber
Reinforcement : Polyester Threads (NTS) + PET Resin
Outer Cover Material : Silicone Rubber

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
HTSI-12	1/2	12.7x19.5	-0.5 ~ 5	80	2.1	10	22,060.00	2,206.00
HTSI-15	5/8	15.9x24.0	-0.5 ~ 5	105	3.1	10	29,270.00	2,927.00
HTSI-19	3/4	19.5x28.5	-0.5 ~ 5	140	4.2	10	30,790.00	3,079.00
HTSI-25	1	25.4x35.5	-0.5 ~ 5	190	6.3	10	42,600.00	4,260.00
HTSI-32	1-1/4	32.0x43.5	-0.5 ~ 5	240	9.0	10	67,340.00	6,734.00
HTSI-38	1-1/2	38x50.5	-0.5 ~ 5	290	11.8	10	71,270.00	7,127.00

สายดูดทนความร้อน TOYOSILICONE-S



Food Grade

Features & Spec

Working Temp. -30 to 150°C

RoHS 2 Compliant
USP Class VI Compliant
FDA Registration

Inner Tube Material : Silicone Rubber
Reinforcement : Polyester Threads (NTS) + SUS316
Outer Cover Material : Silicone Rubber

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TSIS-19	3/4	19.5x28.5	-1 ~ 7	120	4.7	10	38,340.00	3,834.00
TSIS-25	1	25.4x35.5	-1 ~ 7	180	7.0	10	70,600.00	7,060.00
TSIS-32	1-1/4	32x43.5	-1 ~ 7	225	10.0	10	80,690.00	8,069.00
TSIS-38	1-1/2	38.1x50.5	-1 ~ 7	280	12.5	10	85,710.00	8,571.00
TSIS-50	2	50.8x64.5	-1 ~ 3	390	8.5	5	61,800.00	12,360.00

สายดูดอาหารทนความร้อน ด้าย 2 ชั้น TOYOSILICONE-S2



Food Grade

Features & Spec

Working Temp. -30 to 150°C

RoHS 2 Compliant
FDA Registration

Inner Tube Material : Silicone Rubber
Reinforcement : Double Polyester Threads (NTS) + SUS316
Outer Cover Material : Silicone Rubber

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TSIS2-19	3/4	19.5x31.5	-1 ~ 7	100	6.7	10	72,700.00	7,270.00
TSIS2-25	1	25.4x39	-1 ~ 7	160	10.0	10	133,870.00	13,387.00
TSIS2-32	1-1/4	32x47.5	-1 ~ 7	200	14.1	10	153,010.00	15,301.00
TSIS2-38	1-1/2	38.1x55	-1 ~ 7	250	18.1	10	162,540.00	16,254.00
TSIS2-50	2	50.8x69.5	-1 ~ 3	350	12.4	5	117,200.00	23,440.00

สายดูดทนความร้อน กับไม้แบน TOYOSILICONE-P



Food Grade

Features & Spec

Working Temp. -30 to 100°C

RoHS 2 Compliant
FDA Registration

Inner Tube Material : Silicone Rubber
Reinforcement : PET Resin
Outer Cover Material : Silicone Rubber

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TSIP-12	1/2	12.7x19.5	-0.5 ~ 2	80	2.1	10	10,940.00	1,094.00
TSIP-15	5/8	15.9x24.0	-0.5 ~ 2	105	3.1	10	15,800.00	1,580.00
TSIP-19	3/4	19.5x28.5	-0.5 ~ 2	140	4.1	10	17,020.00	1,702.00
TSIP-25	1	25.4x35.5	-0.5 ~ 2	195	5.9	10	25,940.00	2,594.00

* ข้อควรระวัง! ควรใช้สายยางภายใต้ช่วงอุณหภูมิและแรงดันที่กำหนดทุกครั้ง
ความสามารถในการทนแรงดันของสาย (สายยาง) จะลดลงเมื่ออุณหภูมิสูงเกินกว่า 100°C
** ข้อควรระวัง! สายที่ผลิตจาก Silicone Rubber ไม่ควรใช้งานเกิน 70°C เมื่อต้องใช้กับของไหลที่เป็นไขมันและน้ำมัน



สายอาหารเนกประสงค์โค้งงอได้สูง HYBRID TOYOFOODS




Features & Spec

Working Temp. -5 to 70°C
RoHS 2 Compliant

Inner Tube Material : PVC (Non-Phthalic Acid)
Reinforcement : Polyester Threads
Outer Cover Material : Soft PVC

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
HTF-15	5/8	15x22	0 ~ 8	25	100	47,800.00	478.00
HTF-19	3/4	19x26	0 ~ 6	16	50	30,800.00	616.00
HTF-25	1	25x33	0 ~ 6	24	50	44,050.00	881.00

สายอาหารเนกประสงค์โค้งงอได้สูง HYBRID TOYOFOODS-N



Features & Spec

Working Temp. -5 to 50°C
RoHS 2 Compliant

Inner Tube Material : Soft PVC
Reinforcement : Polyester Threads
Outer Cover Material : Rigid PVC

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (23°C)	Working Pressure bar (50°C)	Brusting Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
HTF-N38	1-1/2	38x50	-1 ~ 5	-0.50 ~ 2.5	20	36	50	96,100.00	1,922.00
HTF-N50	2	50.8x64.5	-1 ~ 5	-0.50 ~ 2.5	20	53	50	131,400.00	2,628.00

สายดูดอาหารป้องกันไฟฟ้าสถิต TOYOFOODS EARTH



Features & Spec


Working Temp. -5 to 70°C
RoHS 2 Compliant
FDA Registration

Inner Tube Material : Soft PVC
Reinforcement : SUS316
Outer Cover Material : Soft PVC

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (23°C)	Working Pressure bar (70°C)	Brusting Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TFE-32	1-1/4	32X44.6	-1 ~ 2	-0.50 ~ 1	23	17.2	20	32,200.00	1,610.00
TFE-38	1-1/2	38X50.6	-1 ~ 2	-0.50 ~ 1	22	19	20	41,900.00	2,095.00
TFE-50	2	50.8X64.5	-1 ~ 2	-0.50 ~ 1	20	28.6	20	65,220.00	3,261.00
TFE-63	2-1/2	63.5X80.7	-0.05 ~ 0.1	-0.05 ~ 0.1	20	38.2	20	84,520.00	4,226.00
TFE-75	3	76.2X93.6	-0.05 ~ 0.1	-0.05 ~ 0.1	20	48.0	20	105,180.00	5,259.00
TFE-100	4	101.6X120.0	-0.04 ~ 0.1	-0.05 ~ 0.1	10	34.7	10	78,800.00	7,888.00



รูดิโอ แบนนำสายดูดอาหารกันไฟฟ้าสถิต
ป้องกันพองอาหารติดค้างในสายยาง



Toyofoods Earth Clip


(Specialized for TOYOFOODS EARTH HOSE TOYOTOP-E100 C)

* This earth clip is not a hose clamp.

Code No.	Size inch	Price (Excluding Vat) THB/piece
TFEC-032	1-1/4	240.00
TFEC-038	1-1/2	295.00
TFEC-050	2	325.00
TFEC-063	2-1/2	555.00
TFEC-075	3	575.00
TFEC-100	4	615.00



สายทวนสารเคมีพิเศษ ยึดหยุ่นสูง TOYOFUSSO SOFT



Features & Spec

Working Temp. -5 to 70°C
RoHS 2 Compliant
FDA Registration

Inner Tube Material : Tetrafluoresin (Modified ETFE) / Soft PVC
Reinforcement : Polyester Threads
Outer Cover Material : Soft PVC

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar (23°C)	Working Pressure bar (70°C)	Brusting Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
FFY-12-20	1/2	12x18	0 ~ 10	0 ~ 5	75	3.5	20	25,200.00	1,260.00
FFY-15-20	5/8	15x22	0 ~ 10	0 ~ 5	55	5	20	37,360.00	1,868.00
FFY-19-20	3/4	19x26	0 ~ 10	0 ~ 5	55	7	20	49,960.00	2,498.00
FFY-25-20	1	25x33	0 ~ 6	0 ~ 3	30	8.6	20	63,500.00	3,175.00



รูดิโอ เปรียบเทียบความโค้งงอระหว่าง
TOYOFUSSO VS TOYOFUSSO SOFT

สายอาหารทนแรงดันสูง BLAUDIECK® LGD



Features & Spec

Working Temp. -30 to 80°C
Steam Temp. 130°C/20 Min.
Recommendation XXI Cat.2 of BFR and
FDA (21 CFR 177.2600)
COMMISSION REGULATION (EC) No 2023/2006
Food Contact Materials-Regulation (EC)
1935/2004

Inner Tube Material : Non-porous and Smooth NBR
Reinforcement : Synthetic Fibres
Outer Cover Material : Blue, Fabric Patterned NBR-Cover

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
LGD-13	1/2	13x21	-0.6 ~ 16	80	11.2	40	56,000.00	1,400.00
LGD-19	3/4	19x29	-0.6 ~ 16	115	20	40	69,400.00	1,735.00
LGD-25	1	25x37	-0.5 ~ 16	150	32	40	85,400.00	2,135.00
LGD-32	1-1/4	32x48	-0.5 ~ 16	195	56	40	143,400.00	3,585.00
LGD-38	1-1/2	38x56	-0.5 ~ 16	230	68	40	174,600.00	4,365.00
LGD-50	2	50x70	-0.4 ~ 16	300	108	40	217,000.00	5,425.00
LGD-65	2-5/8	65x89	-0.4 ~ 16	455	152	40	304,800.00	7,620.00
LGD-75	3	75x99	-0.3 ~ 16	525	164	40	382,200.00	9,555.00

สายอาหารทนแรงดันสูง เสริมลวดสปริง BLAUDIECK® LGDS



Features & Spec

Working Temp. -30 to 80°C
Steam Temp. 130°C/20 Min.
Recommendation XXI Cat.2 of BFR and
FDA (21 CFR 177.2600)
COMMISSION REGULATION (EC) No 2023/2006
Food Contact Materials-Regulation (EC)
1935/2004

Inner Tube Material : Non-porous and Smooth NBR
Reinforcement : Synthetic Fibres + Steel Wire Helix
Outer Cover Material : Blue, Fabric Patterned NBR-Cover

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
LGDS-19	3/4	19x29	-0.8 ~ 16	60	24	40	76,800.00	1,920.00
LGDS-25	1	25x37	-0.8 ~ 16	80	35.2	40	93,600.00	2,340.00
LGDS-32	1-1/4	32x44	-0.8 ~ 16	100	44	40	112,200.00	2,805.00
LGDS-38	1-1/2	38x51	-0.8 ~ 16	115	57.2	40	127,400.00	3,185.00
LGDS-50	2	50x66	-0.8 ~ 16	150	86.8	40	177,600.00	4,440.00
LGDS-65	2-5/8	65x81	-0.8 ~ 16	190	114.8	40	227,600.00	5,690.00
LGDS-75	3	75x91	-0.8 ~ 16	225	140.4	40	259,000.00	6,475.00
LGDS-100	4	100x118	-0.8 ~ 16	350	186	40	373,000.00	9,325.00

สายลำเลียงเบียร์และเครื่องดื่ม ทนแรงดันสูง PURPLE SNAKE®



Features & Spec

Working Temp. -30 to 90°C
Steam Temp. 130°C/30 Min.
Recommendation XXI Cat.2 of BFR and
FDA (21 CFR 177.2600)
COMMISSION REGULATION (EC) No 2023/2006
Food Contact Materials-Regulation (EC)
1935/2004

Inner Tube Material : White, EPDM, non-porous and high-performing special lining
Reinforcement : Synthetic Fibres (Steel Wire Helix for PPS-xx-S)
Outer Cover Material : Red Fabric Patterned Special Cover

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
PPS-13	1/2	13x20	-0.6 ~ 16	80	10	40	58,000.00	1,450.00
PPS-16	5/8	16x24	-0.6 ~ 16	100	12	40	62,400.00	1,560.00
PPS-19	3/4	19x29	-0.6 ~ 16	120	18	40	72,800.00	1,820.00
PPS-25	1	25x37	-0.5 ~ 16	160	30	40	96,600.00	2,415.00
PPS-32	1-1/4	32x48	-0.5 ~ 16	190	48	40	153,000.00	3,825.00
PPS-38	1-1/2	38x56	-0.5 ~ 16	230	64	40	187,800.00	4,695.00
PPS-40	1-9/16	40x58	-0.5 ~ 16	240	66	40	197,400.00	4,935.00
PPS-50	2	50x70	-0.4 ~ 16	300	88	40	246,600.00	6,165.00
PPS-65	2-5/8	65x89	-0.4 ~ 16	450	132	40	370,800.00	9,270.00
PPS-75	3	75x99	-0.3 ~ 16	500	152	40	417,800.00	10,445.00
PPS-100	4	100x130	-0.3 ~ 16	700	256	40	685,400.00	17,135.00

สายลำเลียงเบียร์และเครื่องดื่ม ทนแรงดันสูง เสริมลวดสปริง

PPS-50-S	2	50x66	-0.8 ~ 16	250	82	40	195,000.00	4,875.00
PPS-75-S	3	75x91	-0.8 ~ 16	375	126	40	286,600.00	7,165.00
PPS-80-S	3-1/8	80x96	-0.8 ~ 16	400	132.8	40	309,400.00	7,735.00
PPS-100-S	4	100x118	-0.8 ~ 16	500	194	40	426,200.00	10,655.00

สายอาหารทนแรงดันสูง TRIX MULTIFOOD®



Features & Spec

Working Temp. -20 to 90°C
Steam Temp. 164°C /10 Min (Open System)
Recommendation XXI Cat.2 of BFR and
FDA (21 CFR 177.2600)
COMMISSION REGULATION (EC) No 2023/2006

Inner Tube Material : Non-porous and smooth NBR
Reinforcement : Synthetic Fibers
Outer Cover Material : Blue, fabric patterned NBR-cover

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TRX-MF13	1/2	12.7x23	0 ~ 20	95	17.2	40	26,200.00	655.00
TRX-MF15	5/8	15.9x26	0 ~ 20	115	20	40	29,800.00	745.00
TRX-MF19	3/4	19.1x31	0 ~ 20	150	28	40	40,200.00	1,005.00
TRX-MF25	1	25.4x39	0 ~ 20	200	42	40	57,600.00	1,440.00



สายส่งไอน้ำทนความร้อนสูง DAMPF TRIX® 6000



Features & Spec
Working Temp. -40 to 210°C
Electrically Conductive, R<10⁶ Ω/hose line

Inner Tube Material : Non-Porous and Smooth EPDM
Reinforcement : 2 Steel Wire Braids, Excellent Resistance to Corrosion
Outer Cover Material : Black, Fabric Patterned NBR-Cover

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
DTRX-13	1/2	13x25	0 ~ 18	130	21.2	40	56,600.00	1,415.00
DTRX-19	3/4	19x33	0 ~ 18	190	36	40	79,000.00	1,975.00
DTRX-25	1	25x40	0 ~ 18	250	48	40	92,800.00	2,320.00
DTRX-32	1-1/4	32x48	0 ~ 18	320	62	40	117,400.00	2,935.00
DTRX-38	1-1/2	38x54	0 ~ 18	380	72	40	130,400.00	3,260.00
DTRX-50	2	50x68	0 ~ 18	500	104	40	180,400.00	4,510.00

สายแรงดันนอกเนกประสงค์ TRIX ROTSTRAHL®



Features & Spec
Working Temp. -40 to 100°C
Highly Flexible
Robust

Inner Tube Material : Non-Porous and Smooth EPDM
Reinforcement : Synthetic Fibres
Outer Cover Material : Smooth EPDM

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TRXR-13	1/2	13x19.6	0 ~ 20	50	9.8	40	12,800.00	320.00
TRXR-16	5/8	16x23	0 ~ 20	60	13.2	40	17,000.00	425.00
TRXR-19	3/4	19x27	0 ~ 20	65	17.4	40	20,400.00	510.00
TRXR-25	1	25x34	0 ~ 20	110	23.2	40	30,000.00	750.00

สายแรงดันสูง ทนน้ำมัน UNITRIX® 80



Features & Spec
Working Temp. -40 to 85°C
Highly Flexible
High Oil Resistance

Inner Tube Material : Non-Porous and Smooth NBR
Reinforcement : Synthetic Fibres
Outer Cover Material : Smooth NBR and CR Cover

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
UNTRX80-25	1	25.4x37	0 ~ 33	115	42	50	60,750.00	1,215.00
UNTRX80-32	1-1/4	31.8x44	0 ~ 33	199	37.4	40	86,000.00	2,150.00
UNTRX80-38	1-1/2	38.1x 51	0 ~ 33	230	46	40	96,400.00	2,410.00
UNTRX80-50	2	50.8x64	0 ~ 33	300	64.4	40	124,000.00	3,100.00

สายอาหารทนความร้อนสูง HOT ALICHEM



Features & Spec
Working Temp. -40 to 120°C
Steam Temp. 150°C/30 Min.
Recommendation XXI Cat.2 of BfR and FDA (21 CFR 177.2600)
COMMISSION REGULATION (EC) No 2023/2006
Food Contact Materials-Regulation (EC) 1935/2004

Inner Tube Material : High Grade EPDM Rubber
Reinforcement : Heat Resistant Piles of Synthetic Cord, Steel Helix Wire
Outer Cover Material : Synthetic Rubber, Blue Color

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
MT-H-19	3/4	19x31	-0.9 ~ 10	100	24.8	40	93,600.00	2,340.00
MT-H-25	1	25x37	-0.9 ~ 10	140	32	40	99,600.00	2,490.00
MT-H-38	1-1/2	38x51	-0.9 ~ 10	230	54.8	40	144,200.00	3,605.00
MT-H-50	2	50x66	-0.9 ~ 10	290	72	40	210,000.00	5,250.00
MT-H-63.5	2-1/2	63.5x79.5	-0.9 ~ 10	375	104	40	256,200.00	6,405.00
MT-H-75	3	75x91	-0.9 ~ 10	450	124	40	313,200.00	7,830.00

สายอาหารเนกประสงค์ทนไขมัน IMPERIA/10

Inner Tube Material : NBR Rubber (code NAB 90)

Reinforcement : Plies of Synthetic Cord

Outer Cover Material : CR Rubber, Blue Colour, Abrasion and Weather Resistant



Food Grade

Features & Spec

Working Temp. -20 to 90°C

Steam Temp. 100°C/10 Min.

Recommendation XXI Cat.2 of BFR and FDA (21 CFR 177.2600)

COMMISSION REGULATION (EC) No 2023/2006

Food Contact Materials-Regulation (EC) 1935/2004

3-A Sanitary Standards n.18-03-Class II

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
MT-IP-13	1/2	13x23	0 ~ 10	80	14	40	65,400.00	1,635.00
MT-IP-19	3/4	19x29	0 ~ 10	120	18.8	40	90,400.00	2,260.00
MT-IP-25	1	25x37	0 ~ 10	150	30.8	40	99,600.00	2,490.00

สายอาหารเนกประสงค์ ทนไขมันเสริมลดสปริง IMPERIA/SPL/10

Inner Tube Material : NBR Rubber (code NAB 90)

Reinforcement : Plies of Synthetic Cord, Steel Helix Wire

Outer Cover Material : CR Rubber, Blue Colour, Abrasion and Weather Resistant



Features & Spec

Working Temp. -20 to 90°C

Steam Temp. 100°C/10 Min.

Recommendation XXI Cat.2 of BFR and FDA (21 CFR 177.2600)

COMMISSION REGULATION (EC) No 2023/2006

Food Contact Materials-Regulation (EC) 1935/2004

3-A Sanitary Standards n.18-03-Class II

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
MT-IPS-25	1	25x37	0.9 ~ 10	120	34	40	104,800.00	2,620.00
MT-IPS-38	1-1/2	38x52	0.9 ~ 10	200	62.4	40	152,800.00	3,820.00
MT-IPS-50	2	50x64	0.9 ~ 10	250	78	40	195,400.00	4,885.00
MT-IPS-65	2-1/2	65x81	0.9 ~ 10	360	117.2	40	258,000.00	6,450.00
MT-IPS-75	3	75x93	0.9 ~ 10	450	152.8	40	300,000.00	7,500.00

สายลำเลียงเบียร์และเครื่องดื่ม ทนแรงดันสูงเสริมลดสปริง BREWART/SD

Inner Tube Material : BIIR Rubber (Code 90FDA)

Reinforcement : Plies of Synthetic Cord, Steel Helix Wire

Outer Cover Material : CR Rubber, Red Colour, Resistant to Abrasion



Features & Spec

Working Temp. -40 to 120°C

Steam Temp. 130°C/30 Min.

Recommendation XXI Cat.2 of BFR and FDA (21 CFR 177.2600)

COMMISSION REGULATION (EC) No 2023/2006

Food Contact Materials-Regulation (EC) 1935/2004

3-A Sanitary Standards n.18-03-Class II

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
MT-BWS-25	1	25x38	0.9 ~ 16	125	34	40	99,600.00	2,490.00
MT-BWS-38	1-1/2	38x52	0.9 ~ 16	190	60	40	143,000.00	3,575.00
MT-BWS-50	2	50x65	0.9 ~ 16	300	76	40	207,000.00	5,175.00
MT-BWS-65	2-1/2	65x84	0.9 ~ 16	450	130	40	257,200.00	6,430.00
MT-BWS-75	3	75x95	0.9 ~ 16	530	154	40	308,200.00	7,705.00

สายอาหาร ลำโพงทนแรงดันสูง STEAM

Inner Tube Material : EPDM Rubber (Code 140 BI), Light Colour, Smooth

Reinforcement : Plies of Synthetic Cord

Outer Cover Material : EPDM Rubber, Blue Colour, Smooth, Abrasion and Weather Resistant



Features & Spec

Working Temp. -40 to 164°C

Steam Temp. 164°C/6 Bar Safety Factor

Complying with FDA standards, D.M. 21/03/73

Accordance EC 1935/2004 and 2023/2006/EC (GMP)

Materials acc. to EC 1907/2006 (REACH)


Complying with BFR standards available

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
MT-ST-13	1/2	13x23	0 ~ 20	100	12.8	40	47,400.00	1,185.00
MT-ST-16	5/8	16x28	0 ~ 20	120	19.2	40	50,400.00	1,260.00
MT-ST-19	3/4	19x31	0 ~ 20	160	21.6	40	61,000.00	1,525.00
MT-ST-25	1	25x39	0 ~ 20	200	32.8	40	97,600.00	2,440.00



ข้อต่อสำหรับงานอาหาร เครื่องดื่ม และยา

HOSE ADAPTOR LINER NUT (DIN Standard)




Material : SUS316L&SUS304

HOSE
CENTER

Code No.	Suitable for Hose	Price (Excluding VAT) THB/piece
HLN-25-DIN	1"	3,370
HLN-38-DIN	1-1/2"	4,580
HLN-50-DIN	2"	5,630
HLN-63-DIN	2-1/2"	7,050
HLN-75-DIN	3"	9,530
HLN-100-DIN	4"	11,950

HOSE ADAPTOR LINER NUT (SMS Standard)




Material : SUS316L&SUS304

HOSE
CENTER

Code No.	Suitable for Hose	Price (Excluding VAT) THB/piece
HLN-25-SMS	1"	3,310
HLN-38-SMS	1-1/2"	3,920
HLN-50-SMS	2"	4,540
HLN-63-SMS	2-1/2"	5,390
HLN-75-SMS	3"	8,560
HLN-100-SMS	4"	-

HOSE ADAPTOR MALE PART (DIN Standard)




Material : SUS316L

HOSE
CENTER

Code No.	Suitable for Hose	Price (Excluding VAT) THB/piece
HMP-25-DIN	1"	3,370
HMP-38-DIN	1-1/2"	4,580
HMP-50-DIN	2"	5,630
HMP-63-DIN	2-1/2"	6,900
HMP-75-DIN	3"	9,050
HMP-100-DIN	4"	10,820

HOSE ADAPTOR MALE PART (SMS Standard)




Material : SUS316L

HOSE
CENTER

Code No.	Suitable for Hose	Price (Excluding VAT) THB/piece
HMP-25-SMS	1"	3,310
HMP-38-SMS	1-1/2"	3,920
HMP-50-SMS	2"	4,540
HMP-63-SMS	2-1/2"	5,390
HMP-75-SMS	3"	8,300
HMP-100-SMS	4"	-

ปลอกสำหรับย้าสายยาง COLLET



Material : SUS304

HOSE
CENTER

Code No.	Suitable for Hose	Price (Excluding VAT) THB/piece
CL-12-20	1/2"	1,630
CL-12-22.5	1/2"	1,630
CL-12-24.5	1/2"	1,630
CL-15-22.5	5/8"	1,630
CL-15-24.5	5/8"	1,630

Code No.	Suitable for Hose	Price (Excluding VAT) THB/piece
CL-15-30	5/8"	1,880
CL-19-27	3/4"	1,820
CL-19-30	3/4"	1,880
CL-19-33	3/4"	1,880
CL-25-34	1"	1,880
CL-25-39.4	1"	1,980
CL-25-41	1"	2,100
CL-32-42	1-1/4"	2,360
CL-38-49	1-1/2"	2,360
CL-38-52	1-1/2"	2,400
CL-50-63	2"	2,440
CL-50-67	2"	2,480
CL-64-82	2-1/2"	2,400
CL-64-86	2-1/2"	2,440
CL-64-90	2-1/2"	2,480
CL-75-92	3"	4,580
CL-75-95	3"	4,690
CL-75-97	3"	4,890
CL-100-120	4"	6,720
CL-100-123	4"	6,900

กรุณาสอบถามราคาจากฝ่ายขายทุกครั้ง เนื่องจากราคาที่แสดงในเอกสารนี้เป็นราคา ณ เวลาที่จัดทำเอกสาร อาจมีการเปลี่ยนแปลงได้ตลอดเวลา หากต้องการซื้อต่อแบบอื่นๆ กรุณาสอบถามฝ่ายขาย เราสามารถจัดส่งสินค้านอกเหนือจากเอกสารนี้ได้ทันที

HOSE ADAPTOR FERRULE WITH COLLET FOR TOYOSILICONE SERIES ONLY



Material : SUS316L&SUS304

Connect to the Future
TOYOX

Code No.	Suitable for Hose	Price (Excluding VAT) THB/piece
HF-9-8A	3/8"	5,320
HF-9-10A	3/8"	5,320
HF-9-15A	3/8"	5,320
HF-12-8A	1/2"	5,320
HF-12-10A	1/2"	5,320
HF-12-15A	1/2"	5,320
HF-15-10A	5/8"	5,580
HF-15-15A	5/8"	5,580
HF-15-1S	5/8"	6,240
HF-19-15A	3/4"	6,380
HF-19-1S	3/4"	6,875
HF-25-1S	1"	6,960
HF-25-1.5S	1"	7,665
HF-32-1.5S	1-1/4"	8,155
HF-38-1.5S	1-1/2"	8,400
HF-38-2S	1-1/2"	13,440
HF-50-2S	2"	13,440

SAFETY CLAMP




Material : SUS304

HOSE
CENTER


Code No.	Suitable for Hose	Price (Excluding VAT) THB/piece
STC-25	1"	1,900
STC-38	1-1/2"	2,550
STC-50	2"	2,850
STC-63	2-1/2"	3,750
STC-75	3"	4,500
STC-100	4"	5,250

GASKET FOR FERRULE



HOSE
CENTER

HOSE ADAPTOR FERRULE



Material : SUS316L

HOSE
CENTER

Code No.	Suitable for Hose	Price (Excluding VAT) THB/piece
HAF-12#25	1/2"	2,200
HAF-12#50	1/2"	3,070
HAF-15#25	5/8"	2,250
HAF-15#50	5/8"	3,170
HAF-19#25	3/4"	2,560
HAF-19#50	3/4"	3,580
HAF-25#50	1"	2,610
HAF-32#50	1-1/4"	3,780
HAF-38#50	1-1/2"	3,270
HAF-50#64	2"	4,090
HAF-63#77	2-1/2"	5,390
HAF-75#91	3"	6,230
HAF-100#119	4"	8,170

Clamp-Ring (Single pin)



Material : SUS304

HOSE
CENTER

Code No.	Suitable for Ferrule	Price (Excluding VAT) THB/piece
SCR-25	1/2", 3/4"	360
SCR-50	1", 1-1/2"	360
SCR-64	2"	420
SCR-77	2-1/2"	550
SCR-91	3"	690
SCR-119	4"	780

Size	Price (Excluding VAT) THB/piece			
	GK-F-NBR	GK-F-SIL	GK-F-PTFE	GK-F-EPDM
1/2	80	100	300	80
3/4	80	100	300	80
1	60	80	300	60
1-1/2	60	80	300	60
2	80	100	320	80
2-1/2	100	120	400	100
3	120	160	440	120
4	160	180	600	160

GASKET FOR UNION DIN และ UNION SMS โปรดสอบถาม Spec และราคากับฝ่ายขาย

กรุณาสอบถามราคาจากฝ่ายขายทุกครั้ง เนื่องจากราคาที่แสดงในเอกสารนี้เป็นราคา ณ เวลาที่จัดทำเอกสาร อาจมีการเปลี่ยนแปลงได้ในอนาคต หากต้องการซื้อต่อแบบอื่นๆ กรุณาสอบถามฝ่ายขาย เราสามารถจัดหาสินค้านอกเหนือจากเอกสารนี้ได้ทันที



สายไฮดรอลิก



EXCEED Series

สายไฮดรอลิกรุ่นใหม่จาก YOKOHAMA

ผลิตโดยใช้มาตรฐาน ISO18752



HIGH PRESSURE HOSES | 高圧ホース

Inner Tube Material : Oil resistance synthetic rubber

Reinforcement : High-tensile steel wire

Outer Cover Material : Abrasion&weather resistant synthetic rubber

จุดเด่น

1. ค่าความโค้งงอสูงมากเมื่อเทียบกับสายไฮดรอลิกรุ่นก่อน
2. อายุการใช้งานยาวนาน มีค่า Impulse Rate สูงถึง 500,000 รอบ
3. แรงดันสูงเท่ากันทุกขนาด ทำให้เลือกใช้งานสายได้ง่าย เหมาะสมกับงาน
4. ทนการเสียดสีได้ดีมาก ทำให้อายุการใช้งานยาวนาน
5. น้ำหนักเบา ติดตั้งง่าย ทำงานได้สะดวกรวดเร็ว



Working Temp. -40 ถึง 120 องศา (WS)

-40 ถึง 100 องศา (WB)



	Code No.	Size No.	I.D.xO.D. mm.	Reinforcement	Working Pressure (Mpa)	Bursting Pressure (Mpa)	Min.Bending (mm)	Weight (kg/roll)	Length (kg/roll)	Price (Excluding Vat) THB/m.
ISO7	ISO7.6	04	6.3x11.8	1WB	7	28	40	9.6	60	240.00
	ISO7.9	06	9.5x14.8	1WB	7	28	50	13.8	60	340.00
ISO21	ISO21.6	04	6.3x12.4	1WB	21	84	45	11.4	60	300.00
	ISO21.9	06	9.5x16.7	2WB	21	84	60	23.4	60	400.00
	ISO21.12	08	12.7x20.4	2WB	21	84	80	31.2	60	500.00
	ISO21.15	10	15.9x24.1	2WB	21	84	110	40.2	60	640.00
	ISO21.19	12	19.0x28.8	2WB	21	84	130	38.4	40	800.00
	ISO21.25	16	25.4x35.9	2WB	21	84	160	48.4	40	1,300.00
	ISO21.32	20	31.8x44.4	4WB	21	84	280	43.2	20	2,200.00
	ISO21.38	24	38.1x51.5	4WB	21	84	330	58.2	20	2,800.00
	ISO21.50	32	50.8x66.0	4WB	21	84	430	92.8	20	4,500.00
ISO28	ISO28.6	04	6.3x13.5	2WB	28	112	45	17.4	60	400.00
	ISO28.9	06	9.5x16.9	2WB	28	112	60	24	60	500.00
	ISO28.12	08	12.7x21.2	2WB	28	112	80	35.4	60	600.00
	ISO28.15	10	15.9x26.5	4WS	28	112	140	38	40	1,000.00
	ISO28.19	12	19.0x29.5	4WS	28	112	170	43.6	40	1,140.00
	ISO28.25	16	25.4x37.0	4WS	28	112	220	65.2	40	1,440.00
	ISO28.32	20	31.8x45.4	4WS	28	112	460	49.8	20	2,700.00
	ISO28.38	24	38.1x52.3	4WS	28	112	560	59.4	20	3,200.00
	ISO28.50	32	50.8x66.0	4WS	28	112	630	92.8	20	6,000.00
ISO35	ISO35.12	08	12.7x23.1	4WS	35	140	140	32	40	1,040.00
	ISO35.15	10	15.9x26.5	4WS	35	140	160	38	40	1,100.00
	ISO35.19	12	19.0x30.4	4WS	35	140	180	51.6	40	1,240.00
	ISO35.25	16	25.4x37.5	4WS	35	140	240	78	40	1,600.00
	ISO35.32	20	31.8x48.4	6WS	35	140	280	72.4	20	3,840.00
	ISO35.38	24	38.1x56.0	6WS	35	140	400	84	20	4,670.00
	ISO35.50	32	50.8x71.1	6WS	35	140	500	140.2	20	7,700.00
ISO42	ISO42.12	08	12.7x23.1	4WS	42	168	140	32	40	1,100.00
	ISO42.15	10	15.9x26.5	4WS	42	168	160	38	40	1,200.00
	ISO42.19	12	19.0x30.4	4WS	42	168	180	51.6	40	1,340.00
	ISO42.25	16	25.4x37.5	4WS	42	168	240	78	40	1,740.00
	ISO42.50	32	50.8x71.1	6WS	42	168	500	140.2	20	8,000.00



Hose and Couplings

ปลอกย้ําสายไฮดรอลิก

สำหรับสาย 1,2 ชั้น

Code No.	Price (Excluding VAT) THB/piece
BR-03	70.00
BR-04	75.00
BR-06	80.00
BR-07	100.00
BR-08	105.00
BR-10	115.00
BR-12	140.00
BR-16	175.00
BR-20	440.00
BR-24	575.00
BR-32	840.00

สำหรับสาย 1,2 ชั้น (ปลอกยาว)

Code No.	Price (Excluding VAT) THB/piece
E2A-04	75.00
E2A-06	90.00
E2A-08	120.00
E2A-10	130.00
E2A-12	135.00
E2A-16	205.00

สำหรับสาย 4 ชั้น

Code No.	Price (Excluding VAT) THB/piece
MS-04	95.00
MS-06	110.00
MS-08	145.00
MS-10	160.00
MS-12	185.00
MS-16	265.00
MS-20	485.00
MS-24	705.00
MS-32	1,060.00

ติดมาพร้อมหัวสาย

Code No.	Price (Excluding VAT) THB/piece
ISR-04	80.00
ISR-06	90.00
ISR-08	105.00
ISR-10	130.00
ISR-12	145.00
ISR-16	185.00
ISR-20	375.00
ISR-24	535.00
ISR-32	1,070.00

หัวสายไฮดรอลิก

หัวสายเกลียวใน



เกลียว BSPP
เทเปอร์ไว้ 30°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GBFS-0404	130.00
GBFS-0406	145.00
GBFS-0606	145.00
GBFS-0608	175.00
GBFS-0808	175.00
GBFS-0810	230.00
GBFS-1010	230.00
GBFS-1012	290.00
GBFS-1212	290.00
GBFS-1216	445.00
GBFS-1616	445.00
GBFS-1620	945.00
GBFS-2020	945.00
GBFS-2024	1,355.00
GBFS-2424	1,355.00
GBFS-3232	3,100.00

หัวสายเกลียวในอง 45°



เกลียว BSPP
เทเปอร์ไว้ 30°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GBFS45-0404	225.00
GBFS45-0406	235.00
GBFS45-0606	235.00
GBFS45-0608	290.00
GBFS45-0808	290.00
GBFS45-0810	370.00
GBFS45-1010	370.00
GBFS45-1012	535.00
GBFS45-1212	535.00
GBFS45-1216	725.00
GBFS45-1616	725.00
GBFS45-1620	1,550.00
GBFS45-2020	1,550.00
GBFS45-2024	3,100.00
GBFS45-2424	3,100.00
GBFS45-3232	9,585.00

หัวสายเกลียวในอง 90°



เกลียว BSPP
เทเปอร์ไว้ 30°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GBFS90-0404	220.00
GBFS90-0406	235.00
GBFS90-0606	235.00
GBFS90-0608	290.00
GBFS90-0808	290.00
GBFS90-0810	370.00
GBFS90-1010	370.00
GBFS90-1012	530.00
GBFS90-1212	530.00
GBFS90-1216	725.00
GBFS90-1616	725.00
GBFS90-1620	1,550.00
GBFS90-2020	1,550.00
GBFS90-2024	3,100.00
GBFS90-2424	3,100.00
GBFS90-3232	9,585.00

หัวสายเกลียวนอก



หัวสายเกลียวนอก
เกลียว BSPT
เทเปอร์ไว้

Code No.	Price (Excluding VAT) THB/piece
GBMT-0404	105.00
GBMT-0406	120.00
GBMT-0606	120.00
GBMT-0608	145.00
GBMT-0808	145.00
GBMT-1010	185.00
GBMT-1012	230.00
GBMT-1212	230.00
GBMT-1216	315.00
GBMT-1616	315.00
GBMT-1620	605.00
GBMT-2020	605.00
GBMT-2024	895.00
GBMT-2424	895.00
GBMT-2432	1,935.00
GBMT-3232	1,935.00

หัวสายเกลียวใน



เกลียว BSPP
เทเปอร์ไว้ 30°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GBS-0404	130.00
GBS-0406	145.00
GBS-0606	145.00
GBS-0608	175.00
GBS-0808	175.00
GBS-0810	230.00
GBS-1010	230.00
GBS-1012	290.00
GBS-1212	290.00
GBS-1216	435.00
GBS-1616	435.00
GBS-1620	945.00
GBS-2020	945.00
GBS-2024	1,405.00
GBS-2424	1,405.00
GBS-2432	3,390.00
GBS-3232	3,390.00

หัวสายเกลียวในอง 45°



เกลียว BSPP
เทเปอร์ไว้ 30°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GBS45-0404	225.00
GBS45-0406	240.00
GBS45-0606	240.00
GBS45-0608	290.00
GBS45-0808	290.00
GBS45-0810	385.00
GBS45-1010	385.00
GBS45-1012	580.00
GBS45-1212	580.00
GBS45-1216	775.00
GBS45-1616	775.00
GBS45-1620	1,695.00
GBS45-2020	1,695.00
GBS45-2024	3,100.00
GBS45-2424	3,100.00
GBS45-3232	9,585.00

หัวสายเกลียวในอง 90°



เกลียว BSPP
เทเปอร์ไว้ 30°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GBS90-0404	225.00
GBS90-0406	240.00
GBS90-0606	240.00
GBS90-0608	290.00
GBS90-0808	290.00
GBS90-0810	385.00
GBS90-1010	385.00
GBS90-1012	580.00
GBS90-1212	580.00
GBS90-1216	775.00
GBS90-1616	775.00
GBS90-1620	1,695.00
GBS90-2020	1,695.00
GBS90-2024	3,100.00
GBS90-2424	3,100.00
GBS90-3232	9,585.00

หัวสายเกลียวนอก



เกลียว UNF
เทเปอร์ไว้ 45°

Code No.	Price (Excluding VAT) THB/piece
GKME-0410	145.00
GKME-0412	145.00
GKME-0414	145.00
GKME-0616	160.00
GKME-0618	175.00
GKME-0620	185.00
GKME-0622	195.00
GKME-0816	185.00
GKME-0818	185.00
GKME-0820	185.00
GKME-0822	195.00
GKME-0824	230.00

กรุณาสอบถามราคาจากฝ่ายขายทุกครั้ง เนื่องจากราคาที่แสดงในเอกสารนี้เป็นราคา ณ เวลาที่จัดทำเอกสาร อาจมีการเปลี่ยนแปลงได้ในอนาคต หากต้องการซื้อต่อแบบอื่นๆ กรุณาสอบถามฝ่ายขาย เราสามารถจัดหาสินค้านอกเหนือจากเอกสารนี้ให้ท่านได้

หัวสายเกลียวใน



เกลียว UNF
เทเปอร์ไว้ 37°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GJS-0404	130.00
GJS-0406	145.00
GJS-0606	145.00
GJS-0608	175.00
GJS-0808	175.00
GJS-0810	230.00
GJS-1010	230.00
GJS-1012	290.00
GJS-1212	290.00
GJS-1216	435.00
GJS-1616	435.00
GJS-1620	945.00
GJS-2020	945.00
GJS-2024	1,405.00
GJS-2424	1,405.00
GJS-2432	3,390.00
GJS-3232	3,390.00

หัวสายเกลียวในอง 45°



เกลียว UNF
เทเปอร์เข้า 37°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GJS45-0404	225.00
GJS45-0406	240.00
GJS45-0606	240.00
GJS45-0608	290.00
GJS45-0808	290.00
GJS45-0810	385.00
GJS45-1010	385.00
GJS45-1012	580.00
GJS45-1212	580.00
GJS45-1216	775.00
GJS45-1616	775.00
GJS45-1620	1,695.00
GJS45-2020	1,695.00
GJS45-2024	3,100.00
GJS45-2424	3,100.00
GJS45-3232	9,585.00

หัวสายเกลียวในอง 90°



เกลียว UNF
เทเปอร์เข้า 37°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GJS90-0404	225.00
GJS90-0406	240.00
GJS90-0606	240.00
GJS90-0608	290.00
GJS90-0808	290.00
GJS90-0810	385.00
GJS90-1010	385.00
GJS90-1012	580.00
GJS90-1212	580.00
GJS90-1216	775.00
GJS90-1616	775.00
GJS90-1620	1,695.00
GJS90-2020	1,695.00
GJS90-2024	3,100.00
GJS90-2424	3,100.00
GJS90-3232	9,585.00

หัวสายเกลียวนอก



ເຄຊິຍວ UNF
ເຕເປຣ໌ນູນ 37°

Code No.	Price (Excluding VAT) THB/piece
GJM-0404	105.00
GJM-0406	120.00
GJM-0606	120.00
GJM-0608	145.00
GJM-0808	145.00
GJM-0810	185.00
GJM-1010	185.00
GJM-1012	230.00
GJM-1212	230.00
GJM-1216	315.00
GJM-1616	315.00
GJM-1620	605.00
GJM-2020	605.00
GJM-2024	895.00
GJM-2424	895.00
GJM-2432	1,935.00
GJM-3232	1,935.00

หัวสายเกลียวใน



เกลียว Metrix
เทเปอร์ไว้ 30°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GKS-0414	130.00
GKS-0418	155.00
GKS-0618	155.00
GKS-0622	195.00
GKS-0822	195.00
GKS-0824	240.00
GKS-1024	250.00
GKS-1030	340.00
GKS-1230	350.00
GKS-1233	485.00
GKS-1633	485.00
GKS-1636	530.00
GKS-2036	580.00
GKS-2042	775.00
GKS-2442	775.00

หัวสายเกลียวในอง 45°



เกลียว Metrix
เทเปอร์ไว้ 30°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GKS45-0414	205.00
GKS45-0418	215.00
GKS45-0618	240.00
GKS45-0622	265.00
GKS45-0822	280.00
GKS45-0824	405.00
GKS45-1024	435.00
GKS45-1030	655.00
GKS45-1230	655.00
GKS45-1233	920.00
GKS45-1633	920.00
GKS45-1636	1,015.00
GKS45-2036	1,015.00
GKS45-2042	1,450.00
GKS45-2442	1,450.00

หัวสายเกลียวในอง 90°



เกลียว Metrix
เทเปอร์ไว้ 30°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GKS90-0414	205.00
GKS90-0418	215.00
GKS90-0618	240.00
GKS90-0622	265.00
GKS90-0822	280.00
GKS90-0824	405.00
GKS90-1024	435.00
GKS90-1030	655.00
GKS90-1230	655.00
GKS90-1233	920.00
GKS90-1633	920.00
GKS90-1636	1,015.00
GKS90-2036	1,015.00
GKS90-2042	1,450.00
GKS90-2442	1,450.00

หัวสายเกลียวนอก



เกลียว Metrix
เทเปอร์นูน 30°

Code No.	Price (Excluding VAT) THB/piece
GKM-0414	130.00
GKM-0418	155.00
GKM-0618	155.00
GKM-0622	195.00
GKM-0822	195.00
GKM-0824	240.00
GKM-1024	250.00
GKM-1030	340.00
GKM-1230	350.00
GKM-1233	485.00
GKM-1633	485.00
GKM-1636	530.00
GKM-2036	580.00
GKM-2042	775.00
GKM-2442	775.00

หัวข้อหน้าแผน



SAE Code 61
Komatsu
พร้อมไอรัง

Code No.	Price (Excluding VAT) THB/piece
GSA-0606	185.00
GSA-0608	215.00
GSA-0808	215.00
GSA-0810	280.00
GSA-1010	280.00
GSA-1012	425.00
GSA-1212	425.00
GSA-1216	485.00
GSA-1616	485.00
GSA-1620	920.00
GSA-2020	920.00
GSA-2024	1,405.00
GSA-2424	1,405.00
GSA-2432	2,665.00
GSA-3232	2,665.00

หัวสายหน้าแปลนงอ 45°



SAE Code 61
Komatsu
พร้อมโอริง

Code No.	Price (Excluding VAT) THB/piece
GSA45-0606	350.00
GSA45-0608	415.00
GSA45-0808	415.00
GSA45-0810	465.00
GSA45-1010	465.00
GSA45-1012	605.00
GSA45-1212	605.00
GSA45-1216	870.00
GSA45-1616	920.00
GSA45-1620	1,450.00
GSA45-2020	1,450.00
GSA45-2024	3,100.00
GSA45-2424	3,100.00
GSA45-2432	8,715.00
GSA45-3232	9,685.00

หัวสายหน้าแปลนงอ 90°



SAE Code 61
Komatsu
พร้อมไอรัง

Code No.	Price (Excluding VAT) THB/piece
GSA90-0606	350.00
GSA90-0608	415.00
GSA90-0808	415.00
GSA90-0810	465.00
GSA90-1010	465.00
GSA90-1012	605.00
GSA90-1212	605.00
GSA90-1216	870.00
GSA90-1616	920.00
GSA90-1620	1,450.00
GSA90-2020	1,450.00
GSA90-2024	3,100.00
GSA90-2424	3,100.00
GSA90-2432	8,715.00
GSA90-3232	9,685.00

หัวสายเกลียวนอก



เกลียว UNF
หน้าเรียบ
พร้อมโอริง

[illegible]

หัวสายหน้าแปลน



Caterpillar
พร้อมโอริง

Code No.	Price (Excluding VAT) THB/piece
GSAC-1212	460.00
GSAC-1216	700.00
GSAC-1616	700.00
GSAC-1620	1,210.00
GSAC-2020	1,210.00
GSAC-2024	1,745.00
GSAC-2424	1,745.00
GSAC-2432	3,460.00
GSAC-3232	3,460.00

หัวสายหน้าแปลนงอ 45°



Caterpillar
พร้อมโอริง

Code No.	Price (Excluding VAT) THB/piece
GSAC45-1212	725.00
GSAC45-1216	970.00
GSAC45-1616	970.00
GSAC45-1620	1,695.00
GSAC45-2020	1,695.00
GSAC45-2024	2,905.00
GSAC45-2424	3,145.00
GSAC45-2432	9,585.00
GSAC45-3232	10,650.00

หัวสายหน้าแปลนงอ 90°



Caterpillar
พร้อมโอริง

Code No.	Price (Excluding VAT) THB/piece
GSAC90-1212	725.00
GSAC90-1216	970.00
GSAC90-1616	970.00
GSAC90-1620	1,695.00
GSAC90-2020	1,695.00
GSAC90-2024	2,905.00
GSAC90-2424	3,145.00
GSAC90-2432	9,585.00
GSAC90-3232	10,650.00

หัวสายเกลียวใน



เกลียว UNF
หน้าเรียบ
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GORS-0404	145.00
GORS-0606	155.00
GORS-0808	195.00
GORS-1010	265.00
GORS-1212	340.00
GORS-1616	485.00
GORS-2020	970.00
GORS-2424	1,550.00

หัวสายหน้าแปลน



SAE Code 62
พร้อมโอริง

Code No.	Price (Excluding VAT) THB/piece
GSAH-0608	290.00
GSAH-0808	290.00
GSAH-1012	485.00
GSAH-1212	485.00
GSAH-1216	675.00
GSAH-1616	675.00
GSAH-1620	1,160.00
GSAH-2020	1,160.00
GSAH-2024	1,695.00
GSAH-2424	1,695.00
GSAH-2432	3,630.00
GSAH-3232	3,630.00

หัวสายหน้าแปลนงอ 45°



SAE Code 62
พร้อมโอริง

Code No.	Price (Excluding VAT) THB/piece
GSAH45-0608	485.00
GSAH45-0808	485.00
GSAH45-1012	725.00
GSAH45-1212	725.00
GSAH45-1216	970.00
GSAH45-1616	970.00
GSAH45-1620	1,695.00
GSAH45-2020	1,695.00
GSAH45-2024	2,905.00
GSAH45-2424	3,145.00
GSAH45-2432	9,150.00
GSAH45-3232	10,170.00

หัวสายหน้าแปลนงอ 90°



SAE Code 62
พร้อมโอริง

Code No.	Price (Excluding VAT) THB/piece
GSAH90-0608	485.00
GSAH90-0808	485.00
GSAH90-1012	725.00
GSAH90-1212	725.00
GSAH90-1216	970.00
GSAH90-1616	970.00
GSAH90-1620	1,695.00
GSAH90-2020	1,695.00
GSAH90-2024	2,905.00
GSAH90-2424	3,145.00
GSAH90-2432	9,150.00
GSAH90-3232	10,170.00

หัวสายเกลียวนอก



เกลียว Matrix
หน้าเรียบ
พร้อมโอริง

Code No.	Price (Excluding VAT) THB/piece
GSMA-1232	270.00
GSMA-1640	435.00
GSMA-2045	920.00
GSMA-2455	2,665.00
GSMA-3255	2,665.00

หัวสายเกลียวในงอ 45°



เกลียว Matrix
เทเปอร์รุ่น 24°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GZIS45-0414	215.00
GZIS45-0416	215.00
GZIS45-0616	220.00
GZIS45-0618	220.00
GZIS45-0620	290.00
GZIS45-0622	290.00
GZIS45-0820	290.00
GZIS45-0822	310.00
GZIS45-0824	385.00
GZIS45-1024	460.00
GZIS45-1027	510.00
GZIS45-1230	580.00
GZIS45-1236	750.00
GZIS45-1633	-
GZIS45-1636	-
GZIS45-1639	-

หัวสายเกลียวในงอ 90°



เกลียว Matrix
เทเปอร์รุ่น 24°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GZIS90-0414	215.00
GZIS90-0416	215.00
GZIS90-0616	220.00
GZIS90-0618	220.00
GZIS90-0620	290.00
GZIS90-0622	290.00
GZIS90-0820	290.00
GZIS90-0822	310.00
GZIS90-0824	385.00
GZIS90-1024	460.00
GZIS90-1027	510.00
GZIS90-1230	580.00
GZIS90-1236	750.00
GZIS90-1633	-
GZIS90-1636	-
GZIS90-1639	-

หัวสายเกลียวใน



เกลียว UNF
เทเปอร์เข้า 45°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GAS-0404	130.00
GAS-0406	145.00
GAS-0606	145.00
GAS-0608	175.00
GAS-0808	175.00
GAS-0810	230.00
GAS-1010	230.00
GAS-1012	290.00
GAS-1212	290.00

หัวสายเกลียวในงอ 45°



เกลียว UNF
เทเปอร์เข้า 45°
หมุนอิสระ

Code No.	Price (Excluding VAT) THB/piece
GAS45-0404	225.00
GAS45-0406	240.00
GAS45-0606	240.00
GAS45-0608	290.00
GAS45-0808	290.00
GAS45-0810	385.00
GAS45-1010	385.00
GAS45-1012	580.00
GAS45-1212	580.00

JM-JM



Code No.	Price (Excluding VAT) THB/piece
04 JM-JM 04	100.00
06 JM-JM 06	110.00
08 JM-JM 08	135.00
10 JM-JM 10	175.00
12 JM-JM 12	215.00
16 JM-JM 16	285.00
20 JM-JM 20	450.00
24 JM-JM 24	695.00
32 JM-JM 32	-

BMI-BMI



Code No.	Price (Excluding VAT) THB/piece
04 BMI-BMI 04	100.00
06 BMI-BMI 06	110.00
08 BMI-BMI 08	135.00
10 BMI-BMI 10	175.00
12 BMI-BMI 12	215.00
16 BMI-BMI 16	285.00
20 BMI-BMI 20	450.00
24 BMI-BMI 24	695.00
32 BMI-BMI 32	-

BMT-BMT



Code No.	Price (Excluding VAT) THB/piece
04 BMT-BMT 04	100.00
06 BMT-BMT 06	110.00
08 BMT-BMT 08	135.00
10 BMT-BMT 10	175.00
12 BMT-BMT 12	215.00
16 BMT-BMT 16	285.00
20 BMT-BMT 20	450.00
24 BMT-BMT 24	695.00
32 BMT-BMT 32	-

BMT-BM



Code No.	Price (Excluding VAT) THB/piece
04 BMT-BM 04	100.00
06 BMT-BM 06	110.00
08 BMT-BM 08	135.00
10 BMT-BM 10	175.00
12 BMT-BM 12	215.00
16 BMT-BM 16	285.00
20 BMT-BM 20	450.00
24 BMT-BM 24	695.00
32 BMT-BM 32	-

BMT-BMI



Code No.	Price (Excluding VAT) THB/piece
04 BMT-BMI 04	100.00
06 BMT-BMI 06	110.00
08 BMT-BMI 08	135.00
10 BMT-BMI 10	175.00
12 BMT-BMI 12	215.00
16 BMT-BMI 16	285.00
20 BMT-BMI 20	450.00
24 BMT-BMI 24	695.00
32 BMT-BMI 32	-

JM-BMI



Code No.	Price (Excluding VAT) THB/piece
04 JM-BMI 04	100.00
06 JM-BMI 06	110.00
08 JM-BMI 08	135.00
10 JM-BMI 10	175.00
12 JM-BMI 12	215.00
16 JM-BMI 16	285.00
20 JM-BMI 20	450.00
24 JM-BMI 24	695.00
32 JM-BMI 32	-

JM-JM 45'



Code No.	Price (Excluding VAT) THB/piece
04 JM-JM 04	175.00
06 JM-JM 06	205.00
08 JM-JM 08	255.00
10 JM-JM 10	305.00
12 JM-JM 12	135.00
16 JM-JM 16	605.00
20 JM-JM 20	1,050.00
24 JM-JM 24	-
32 JM-JM 32	-

BMI-BMI 45'



Code No.	Price (Excluding VAT) THB/piece
04 BMI-BMI 04	175.00
06 BMI-BMI 06	205.00
08 BMI-BMI 08	255.00
10 BMI-BMI 10	305.00
12 BMI-BMI 12	135.00
16 BMI-BMI 16	605.00
20 BMI-BMI 20	1,050.00
24 BMI-BMI 24	-
32 BMI-BMI 32	-

BMT-BMT 45'



Code No.	Price (Excluding VAT) THB/piece
04 BMT-BMT 04	175.00
06 BMT-BMT 06	205.00
08 BMT-BMT 08	255.00
10 BMT-BMT 10	305.00
12 BMT-BMT 12	135.00
16 BMT-BMT 16	605.00
20 BMT-BMT 20	1,050.00
24 BMT-BMT 24	-
32 BMT-BMT 32	-

BMT-BM 45'



Code No.	Price (Excluding VAT) THB/piece
04 BMT-BM 04	175.00
06 BMT-BM 06	205.00
08 BMT-BM 08	255.00
10 BMT-BM 10	305.00
12 BMT-BM 12	135.00
16 BMT-BM 16	605.00
20 BMT-BM 20	1,050.00
24 BMT-BM 24	-
32 BMT-BM 32	-

BMT-BMI 45'



Code No.	Price (Excluding VAT) THB/piece
04 BMT-BMI 04	175.00
06 BMT-BMI 06	205.00
08 BMT-BMI 08	255.00
10 BMT-BMI 10	305.00
12 BMT-BMI 12	135.00
16 BMT-BMI 16	605.00
20 BMT-BMI 20	1,050.00
24 BMT-BMI 24	-
32 BMT-BMI 32	-

JM-BMI 45'



Code No.	Price (Excluding VAT) THB/piece
04 JM-BMI 04	175.00
06 JM-BMI 06	205.00
08 JM-BMI 08	255.00
10 JM-BMI 10	305.00
12 JM-BMI 12	135.00
16 JM-BMI 16	605.00
20 JM-BMI 20	1,050.00
24 JM-BMI 24	-
32 JM-BMI 32	-

JM-JM 90'



Code No.	Price (Excluding VAT) THB/piece
04 JM-JM 04	175.00
06 JM-JM 06	205.00
08 JM-JM 08	255.00
10 JM-JM 10	305.00
12 JM-JM 12	135.00
16 JM-JM 16	605.00
20 JM-JM 20	1,050.00
24 JM-JM 24	-
32 JM-JM 32	-

BMI-BMI 90'



Code No.	Price (Excluding VAT) THB/piece
04 BMI-BMI 04	175.00
06 BMI-BMI 06	205.00
08 BMI-BMI 08	255.00
10 BMI-BMI 10	305.00
12 BMI-BMI 12	135.00
16 BMI-BMI 16	605.00
20 BMI-BMI 20	1,050.00
24 BMI-BMI 24	-
32 BMI-BMI 32	-

BMT-BMT 90'



Code No.	Price (Excluding VAT) THB/piece
04 BMT-BMT 04	175.00
06 BMT-BMT 06	205.00
08 BMT-BMT 08	255.00
10 BMT-BMT 10	305.00
12 BMT-BMT 12	135.00
16 BMT-BMT 16	605.00
20 BMT-BMT 20	1,050.00
24 BMT-BMT 24	-
32 BMT-BMT 32	-

BMT-BM 90'



Code No.	Price (Excluding VAT) THB/piece
04 BMT-BM 04	175.00
06 BMT-BM 06	205.00
08 BMT-BM 08	255.00
10 BMT-BM 10	305.00
12 BMT-BM 12	135.00
16 BMT-BM 16	605.00
20 BMT-BM 20	1,050.00
24 BMT-BM 24	-
32 BMT-BM 32	-

BMT-BMI 90'



Code No.	Price (Excluding VAT) THB/piece
04 BMT-BMI 04	175.00
06 BMT-BMI 06	205.00
08 BMT-BMI 08	255.00
10 BMT-BMI 10	305.00
12 BMT-BMI 12	135.00
16 BMT-BMI 16	605.00
20 BMT-BMI 20	1,050.00
24 BMT-BMI 24	-
32 BMT-BMI 32	-

JM-BMI 90'



Code No.	Price (Excluding VAT) THB/piece
04 JM-BMI 04	175.00
06 JM-BMI 06	205.00
08 JM-BMI 08	255.00
10 JM-BMI 10	305.00
12 JM-BMI 12	135.00
16 JM-BMI 16	605.00
20 JM-BMI 20	1,050.00
24 JM-BMI 24	-
32 JM-BMI 32	-

กรุณาสอบถามราคาจากฝ่ายขายทุกครั้ง เนื่องจากราคาที่แสดงในเอกสารนี้เป็นราคา ณ เวลาที่จัดทำเอกสาร อาจมีการเปลี่ยนแปลงได้ตลอดเวลา หากต้องการซื้อต่อแบบอื่นๆ กรุณาสอบถามฝ่ายขาย เราสามารถจัดหาสินค้านอกเหนือจากเอกสารนี้ให้ท่านได้



BMT-KM



Code No.	Price (Excluding VAT) THB/piece
04 BMT-KM 04	100.00
06 BMT-KM 06	110.00
08 BMT-KM 08	135.00
10 BMT-KM 10	175.00
12 BMT-KM 12	215.00
16 BMT-KM 16	285.00
20 BMT-KM 20	450.00
24 BMT-KM 24	695.00
32 BMT-KM 32	-

BMT-ORM



Code No.	Price (Excluding VAT) THB/piece
04 BMT-ORM 04	105.00
06 BMT-ORM 06	120.00
08 BMT-ORM 08	175.00
10 BMT-ORM 10	220.00
12 BMT-ORM 12	250.00
16 BMT-ORM 16	355.00
20 BMT-ORM 20	575.00
24 BMT-ORM 24	1,125.00
32 BMT-ORM 32	-

ORM-KM



Code No.	Price (Excluding VAT) THB/piece
04 ORM-KM 04	105.00
06 ORM-KM 06	120.00
08 ORM-KM 08	175.00
10 ORM-KM 10	220.00
12 ORM-KM 12	250.00
16 ORM-KM 16	355.00
20 ORM-KM 20	575.00
24 ORM-KM 24	1,125.00
32 ORM-KM 32	-

ORM-ORM



Code No.	Price (Excluding VAT) THB/piece
04 ORM-ORM 04	105.00
06 ORM-ORM 06	120.00
08 ORM-ORM 08	175.00
10 ORM-ORM 10	220.00
12 ORM-ORM 12	250.00
16 ORM-ORM 16	355.00
20 ORM-ORM 20	575.00
24 ORM-ORM 24	1,125.00
32 ORM-ORM 32	-

KM-KM



Code No.	Price (Excluding VAT) THB/piece
04 KM-KM 04	100.00
06 KM-KM 06	110.00
08 KM-KM 08	135.00
10 KM-KM 10	175.00
12 KM-KM 12	215.00
16 KM-KM 16	285.00
20 KM-KM 20	450.00
24 KM-KM 24	695.00
32 KM-KM 32	-

KM-KMO



Code No.	Price (Excluding VAT) THB/piece
04 KM-KMO 04	105.00
06 KM-KMO 06	120.00
08 KM-KMO 08	175.00
10 KM-KMO 10	220.00
12 KM-KMO 12	250.00
16 KM-KMO 16	355.00
20 KM-KMO 20	575.00
24 KM-KMO 24	1,125.00
32 KM-KMO 32	-

BMT-KM 45'



Code No.	Price (Excluding VAT) THB/piece
04 BMT-KM 04	175.00
06 BMT-KM 06	205.00
08 BMT-KM 08	255.00
10 BMT-KM 10	305.00
12 BMT-KM 12	135.00
16 BMT-KM 16	605.00
20 BMT-KM 20	1,050.00
24 BMT-KM 24	-
32 BMT-KM 32	-

BMT-ORM 45'



Code No.	Price (Excluding VAT) THB/piece
04 BMT-ORM 04	265.00
06 BMT-ORM 06	340.00
08 BMT-ORM 08	485.00
10 BMT-ORM 10	555.00
12 BMT-ORM 12	625.00
16 BMT-ORM 16	1,155.00
20 BMT-ORM 20	-
24 BMT-ORM 24	-
32 BMT-ORM 32	-

ORM-KM 45'



Code No.	Price (Excluding VAT) THB/piece
04 ORM-KM 04	265.00
06 ORM-KM 06	340.00
08 ORM-KM 08	485.00
10 ORM-KM 10	555.00
12 ORM-KM 12	625.00
16 ORM-KM 16	1,155.00
20 ORM-KM 20	-
24 ORM-KM 24	-
32 ORM-KM 32	-

ORM-ORM 45'



Code No.	Price (Excluding VAT) THB/piece
04 ORM-ORM 04	190.00
06 ORM-ORM 06	255.00
08 ORM-ORM 08	405.00
10 ORM-ORM 10	470.00
12 ORM-ORM 12	500.00
16 ORM-ORM 16	905.00
20 ORM-ORM 20	-
24 ORM-ORM 24	-
32 ORM-ORM 32	-

KM-KM 45'



Code No.	Price (Excluding VAT) THB/piece
04 KM-KM 04	175.00
06 KM-KM 06	205.00
08 KM-KM 08	255.00
10 KM-KM 10	305.00
12 KM-KM 12	135.00
16 KM-KM 16	605.00
20 KM-KM 20	1,050.00
24 KM-KM 24	-
32 KM-KM 32	-

KM-KMO 45'



Code No.	Price (Excluding VAT) THB/piece
04 KM-KMO 04	185.00
06 KM-KMO 06	245.00
08 KM-KMO 08	365.00
10 KM-KMO 10	425.00
12 KM-KMO 12	465.00
16 KM-KMO 16	835.00
20 KM-KMO 20	-
24 KM-KMO 24	-
32 KM-KMO 32	-

BMT-KM 90'



Code No.	Price (Excluding VAT) THB/piece
04 BMT-KM 04	175.00
06 BMT-KM 06	205.00
08 BMT-KM 08	255.00
10 BMT-KM 10	305.00
12 BMT-KM 12	135.00
16 BMT-KM 16	605.00
20 BMT-KM 20	1,050.00
24 BMT-KM 24	-
32 BMT-KM 32	-

BMT-ORM 90'



Code No.	Price (Excluding VAT) THB/piece
04 BMT-ORM 04	185.00
06 BMT-ORM 06	245.00
08 BMT-ORM 08	365.00
10 BMT-ORM 10	425.00
12 BMT-ORM 12	465.00
16 BMT-ORM 16	835.00
20 BMT-ORM 20	-
24 BMT-ORM 24	-
32 BMT-ORM 32	-

ORM-KM 90'



Code No.	Price (Excluding VAT) THB/piece
04 ORM-KM 04	185.00
06 ORM-KM 06	245.00
08 ORM-KM 08	365.00
10 ORM-KM 10	425.00
12 ORM-KM 12	465.00
16 ORM-KM 16	85.00
20 ORM-KM 20	-
24 ORM-KM 24	-
32 ORM-KM 32	-

ORM-ORM 90'



Code No.	Price (Excluding VAT) THB/piece
04 ORM-ORM 04	190.00
06 ORM-ORM 06	255.00
08 ORM-ORM 08	405.00
10 ORM-ORM 10	470.00
12 ORM-ORM 12	500.00
16 ORM-ORM 16	905.00
20 ORM-ORM 20	-
24 ORM-ORM 24	-
32 ORM-ORM 32	-

KM-KM 90'



Code No.	Price (Excluding VAT) THB/piece
04 KM-KM 04	175.00
06 KM-KM 06	205.00
08 KM-KM 08	255.00
10 KM-KM 10	305.00
12 KM-KM 12	135.00
16 KM-KM 16	605.00
20 KM-KM 20	1,050.00
24 KM-KM 24	-
32 KM-KM 32	-

KM-KMO 90'



Code No.	Price (Excluding VAT) THB/piece
04 KM-KMO 04	185.00
06 KM-KMO 06	245.00
08 KM-KMO 08	365.00
10 KM-KMO 10	425.00
12 KM-KMO 12	465.00
16 KM-KMO 16	835.00
20 KM-KMO 20	-
24 KM-KMO 24	-
32 KM-KMO 32	-

กรุณาสอบถามราคาจากฝ่ายขายทุกครั้ง เนื่องจากราคาที่แสดงในเอกสารนี้เป็นราคา ณ เวลาที่จัดทำเอกสาร อาจมีการเปลี่ยนแปลงได้ตลอดเวลา หากต้องการซื้อต่อแบบอื่นๆ กรุณาสอบถามฝ่ายขาย เราสามารถจัดหาสินค้านอกเหนือจากเอกสารนี้ได้ทันที

PISCO®

STANDARD FITTING

SPECIFICATION

เกลียว : ทองเหลืองชุบนิเกิล
 วัสดุ : PBT Resin
 แรงดันใช้งาน : -1 ~ 10bar

เหมาะสำหรับงาน : อม / น้ำ
 อุณหภูมิใช้งาน : 0 - 60 C

วิธีการอ่านรหัสสินค้า



ข้อต่อตรงเกลียวนอก



Code No.	O.D.	Thread Size	Price (Excluding VAT) THB/piece
PC4-01	4	R1/8	40.00
PC4-02	4	R1/4	45.00
PC4-M5	4	M5 x 0.8	55.00
PC4-M50	4	M5 x 0.8	90.00
PC4-M6	4	M6 x 1	60.00
PC6-01	6	R1/8	45.00
PC6-02	6	R1/4	45.00
PC6-03	6	R3/8	55.00
PC6-M5	6	M5 x 0.8	55.00
PC6-M6	6	M6 x 1	60.00
PC8-01	8	R1/8	50.00
PC8-02	8	R1/4	55.00
PC8-03	8	R3/8	60.00
PC10-01	10	R1/8	60.00
PC10-02	10	R1/4	60.00
PC10-03	10	R3/8	65.00
PC10-04	10	R1/2	75.00
PC12-02	12	R1/4	75.00
PC12-03	12	R3/8	80.00
PC12-04	12	R1/2	90.00
PC16-03	16	R3/8	270.00
PC16-04	16	R1/2	275.00

ข้อต่อ 90° เกลียวนอก



Code No.	O.D.	Thread Size	Price (Excluding VAT) THB/piece
PL4-01	4	R1/8	60.00
PL4-02	4	R1/4	65.00
PL4-M5	4	M5 x 0.8	75.00
PL4-M6	4	M6 x 1	75.00
PL6-01	6	R1/8	65.00
PL6-02	6	R1/4	70.00
PL6-03	6	R3/8	80.00
PL6-M5	6	M5 x 0.8	75.00
PL6-M6	6	M6 x 1	75.00
PL8-01	8	R1/8	75.00
PL8-02	8	R1/4	80.00
PL8-03	8	R3/8	80.00
PL10-01	10	R1/8	100.00
PL10-02	10	R1/4	100.00
PL10-03	10	R3/8	100.00
PL10-04	10	R1/2	120.00
PL12-02	12	R1/4	120.00
PL12-03	12	R3/8	125.00
PL12-04	12	R1/2	135.00
PL16-03	16	R3/8	390.00
PL16-04	16	R1/2	400.00

เกลียวนอกสามทาง T



Code No.	O.D.	Thread Size	Price (Excluding VAT) THB/piece
PB4-M5	4	M5 x 0.8	100.00
PB4-M6	4	M6 x 1	150.00
PB4-01	4	R1/8	90.00
PB4-02	4	R1/4	140.00
PB6-M5	6	M5 x 0.8	110.00
PB6-M6	6	M6 x 1	110.00
PB6-01	6	R1/8	95.00
PB6-02	6	R1/4	100.00
PB6-03	6	R3/8	175.00
PB8-01	8	R1/8	105.00
PB8-02	8	R1/4	110.00
PB8-03	8	R3/8	115.00
PB10-01	10	R1/8	200.00
PB10-02	10	R1/4	135.00
PB10-03	10	R3/8	145.00
PB10-04	10	R1/2	240.00
PB12-02	12	R1/4	160.00
PB12-03	12	R3/8	160.00
PB12-04	12	R1/2	170.00
PB16-03	16	R3/8	525.00
PB16-04	16	R1/2	535.00

เสียบสายสองทางตรง



Code No.	O.D.	Price (Excluding VAT) THB/piece
PU4	4	70.00
PU6	6	70.00
PU8	8	80.00
PU10	10	100.00
PU12	12	110.00
PU16	16	255.00

เสียบสายสามทาง T



Code No.	O.D.	Price (Excluding VAT) THB/piece
PE4	4	90.00
PE6	6	90.00
PE8	8	100.00
PE10	10	115.00
PE12	12	110.00
PE16	16	430.00

เสียบสายสามทาง Y



Code No.	O.D.	Price (Excluding VAT) THB/piece
PY4	4	95.00
PY6	6	100.00
PY8	8	105.00
PY10	10	120.00
PY12	12	160.00
PY16	16	525.00

เสียบสายสามทาง V



Code No.	O.D.	Price (Excluding VAT) THB/piece
PV4	4	70.00
PV6	6	70.00
PV8	8	80.00
PV10	10	105.00
PV12	12	115.00
PV16	16	275.00

กรุณาสอบถามราคาจากฝ่ายขายทุกครั้ง เนื่องจากราคาที่แสดงในเอกสารนี้เป็นราคาด่วน เวลาที่จัดทำเอกสาร อาจมีการเปลี่ยนแปลงได้ในอนาคต หากต้องการข้อต่อแบบอื่น กรุณาสอบถามฝ่ายขาย เราสามารถจัดส่งหาสินค้านอกเหนือจากเอกสารนี้ให้ท่านได้




Specifications

Fluid medium	Air / Water (※)
Max. operating pressure	150psi (1.0MPa)
Max. vacuum	-29.5in. Hg (-100kPa)
Operating temp. range	32 ~ 140°F (0 ~ 60°C) (no freezing)

△ Warning

- ※ . Make sure to follow the instructions below when the fluid medium is water.
1. Surge pressure must be controlled lower than max. operating pressure.
 2. Tap water can be used. Consult with PISCO for using other kind of water.
 3. Be sure to place Insert Ring into the tube edge when using water as a fluid medium.



ข้อต่อลมยูเนียน Bulkhead



Code No.	O.D.	Price (Excluding VAT) THB/piece
PM4	4	90.00
PM6	6	95.00
PM8	8	100.00
PM10	10	120.00
PM12	12	165.00
PM16	16	835.00

เสียบสายสองทางตรง (เรียบ)



Code No.	O.D.	Price (Excluding VAT) THB/piece
PSU4M	4	210.00
PSU6M	6	245.00
PSU8	8	280.00
PSU10	10	315.00
PSU12	12	330.00

Speed Controller Elbow



Code No.	O.D.	Thread	Price (Excluding VAT) THB/piece
blob:https://docs.google.com/b261-479e-be81-b0ff164d-6	4	M5 x 0.8	195.00
	4	R1/8	260.00
	6	M5 x 0.8	235.00
	6	R1/8	280.00
	6	R1/4	300.00
	8	R1/8	300.00
	8	R1/4	320.00
	8	R3/8	400.00
	10	R1/4	360.00
	10	R3/8	400.00
	10	R1/2	450.00

เสียบสายสามทาง Y (ลด)



Code No.	O.D.1	O.D.2	Price (Excluding VAT) THB/piece
PW6-4	6	4	100.00
PW8-4	8	4	160.00
PW8-6	8	6	105.00
PW10-6	10	6	185.00
PW10-8	10	8	120.00
PW12-8	12	8	245.00
PW12-10	12	10	160.00
PW16-12	16	12	525.00

เสียบสายสองทางตรง (ลด)



Code No.	O.D.1	O.D.2	Price (Excluding VAT) THB/piece
PG6-4	6	4	70.00
PG8-4	8	4	115.00
PG8-6	8	6	80.00
PG10-6	10	6	150.00
PG10-8	10	8	100.00
PG12-10	12	10	105.00
PG12-8	12	8	165.00
PG16-10	16	10	340.00
PG16-12	16	12	245.00

เสียบสายสามทาง T (ลด)



Code No.	O.D.1	O.D.2	Price (Excluding VAT) THB/piece
PEG4-6	4	4	135.00
PEG6-4	6	4	90.00
PEG6-8	6	6	155.00
PEG8-4	8	6	155.00
PEG8-6	8	8	105.00
PEG8-10	8	10	175.00
PEG10-6	10	8	175.00
PEG10-8	10	8	115.00
PEG10-12	10	12	245.00
PEG12-8	12	8	245.00
PEG12-10	12	10	160.00
PEG12-16	12	16	430.00
PEG16-10	16	10	525.00
PEG16-12	16	12	430.00

ข้อต่อวัสดุอื่นๆ



PP SUS303 Fitting

Brass Push-In

PPS (Chemical)

PFA Fitting

Brass Compression

Stainless SUS316
Compression


PISCO®

BRASS COMPRESSION FITTING (ฟิตตึงทองเหลือง)


Specifications

Fluid medium	Air / Water (※)
Max. operating pressure	150psi (1.0MPa)
Max. vacuum	-29.5in. Hg (-100kPa)
Operating temp. range	32 ~ 140°F (0 ~ 60°C) (no freezing)

SPECIFICATION วิธีการอ่านรหัสสินค้า




Brass Fitting Elbow



Code No.	I.D.xO.D. mm.	Thread Size	Price (Excluding Vat) THB/piece
NKL0425-01	4x2.5	R1/8	190.00
NKL0425-02	4x2.5	R1/4	200.00
NKL0640-01	6x4	R1/8	190.00
NKL0640-02	6x4	R1/4	200.00
NKL0640-03	6x4	R3/8	220.00
NKL0850-01	8x5	R1/8	225.00
NKL0850-02	8x5	R1/4	230.00
NKL0850-03	8x5	R3/8	235.00
NKL0860-01	8x6	R1/8	225.00
NKL0860-02	8x6	R1/4	230.00
NKL0860-03	8x6	R3/8	235.00
NKL1065-02	10x6.5	R1/4	255.00
NKL1065-03	10x6.5	R3/8	260.00
NKL1065-04	10x6.5	R1/2	265.00

Code No.	I.D.xO.D. mm.	Thread Size	Price (Excluding Vat) THB/piece
NKL1075-02	10x7.5	R1/4	255.00
NKL1075-03	10x7.5	R3/8	260.00
NKL1075-04	10x7.5	R1/2	265.00
NKL1280-02	12x8	R1/4	265.00
NKL1280-03	12x8	R3/8	270.00
NKL1280-04	12x8	R1/2	275.00
NKL1290-02	12x9	R1/4	265.00
NKL1290-03	12x9	R3/8	270.00
NKL1290-04	12x9	R1/2	275.00
NKL1611-03	16x11	R3/8	330.00
NKL1611-04	16x11	R1/2	340.00
NKL1613-03	16x13	R3/8	330.00
NKL1613-04	16x13	R1/2	340.00

Brass Fitting Union Tee



Code No.	I.D.xO.D. mm.	Thread Size	Price (Excluding Vat) THB/piece
NKCF0425-01	4x2.5	Rc1/8	105.00
NKCF0425-02	4x2.5	Rc1/4	120.00
NKCF0640-01	6x4	Rc1/8	105.00
NKCF0640-02	6x4	Rc1/4	120.00
NKCF0640-03	6x4	Rc3/8	145.00
NKCF0850-01	8x5	Rc1/8	120.00
NKCF0850-02	8x5	Rc1/4	135.00
NKCF0850-03	8x5	Rc3/8	150.00
NKCF0860-01	8x6	Rc1/8	120.00
NKCF0860-02	8x6	Rc1/4	135.00
NKCF0860-03	8x6	Rc3/8	150.00
NKCF1065-02	10x6.5	Rc1/4	140.00

Code No.	I.D.xO.D. mm.	Thread Size	Price (Excluding Vat) THB/piece
NKCF1065-03	10x6.5	Rc3/8	160.00
NKCF1065-04	10x6.5	Rc1/2	205.00
NKCF1075-02	10x7.5	Rc1/4	140.00
NKCF1075-03	10x7.5	Rc3/8	160.00
NKCF1075-04	10x7.5	Rc1/2	205.00
NKCF1280-02	12x8	Rc1/4	145.00
NKCF1280-03	12x8	Rc3/8	170.00
NKCF1280-04	12x8	Rc1/2	210.00
NKCF1290-02	12x9	Rc1/4	145.00
NKCF1290-03	12x9	Rc3/8	170.00
NKCF1290-04	12x9	Rc1/2	210.00

Brass Fitting Union



Code No.	I.D.xO.D. mm.	Thread Size	Price (Excluding Vat) THB/piece
NKC0425-01	4x2.5	R1/8	85.00
NKC0425-02	4x2.5	R1/4	95.00
NKC0640-01	6x4	R1/8	85.00
NKC0640-02	6x4	R1/4	95.00
NKC0640-03	6x4	R3/8	110.00
NKC0850-01	8x5	R1/8	95.00
NKC0850-02	8x5	R1/4	100.00
NKC0850-03	8x5	R3/8	115.00
NKC0860-01	8x6	R1/8	95.00
NKC0860-02	8x6	R1/4	100.00
NKC0860-03	8x6	R3/8	115.00
NKC1065-02	10x6.5	R1/4	120.00
NKC1065-03	10x6.5	R3/8	130.00
NKC1065-04	10x6.5	R1/8	170.00

Code No.	I.D.xO.D. mm.	Thread Size	Price (Excluding Vat) THB/piece
NKC1075-02	10x7.5	R1/2	120.00
NKC1075-03	10x7.5	R1/4	130.00
NKC1075-04	10x7.5	R3/8	170.00
NKC1280-02	12x8	R1/2	135.00
NKC1280-03	12x8	R3/8	140.00
NKC1280-04	12x8	R1/2	175.00
NKC1290-02	12x9	R1/2	135.00
NKC1290-03	12x9	R3/8	140.00
NKC1290-04	12x9	R1/2	175.00
NKC1611-03	16x11	R3/8	200.00
NKC1611-04	16x11	R1/2	210.00
NKC1613-03	16x13	R3/8	200.00
NKC1613-04	16x13	R1/2	210.00

Brass Fitting Union Tee



Code No.	I.D.xO.D. mm.	Price (Excluding Vat) THB/piece
NKE425	4x2.5	295.00
NKE640	6x4	300.00
NKE850	6x5	320.00
NKE860	8x6	320.00
NKE1065	10x6.5	410.00
NKE1075	10x7.5	410.00
NKE1280	12x8	420.00
NKE1290	12x9	420.00

** เนื่องจากเป็นสินค้านำเข้า กรุณาเช็คสต็อกและราคาสินค้ากับทางผู้จัดจำหน่ายอีกครั้ง
ขอยกหากในอนาคตมีการเปลี่ยนแปลงโดยมิได้แจ้งให้ทราบล่วงหน้า



PISCO TUBE


SPECIFICATION
วิธีการอ่านรหัสสินค้า

NA - **0860** - **20** - **B**

Tube type Tube dia Tube length Tube Color

	B = สีดำ	R = สีส้มแดง	O = สีส้ม	Y = เหลือง	G = สีเขียว	Bu = สีฟ้า	CB = สีฟ้าใส	W = สีขาวอมชมพู	C = สีใส
NA	●	●	●	●	●	●	●	●	●
NB	●	●	●	●	●	●	●	●	●
UB	●	●	●	●	●	●	●	●	●
UC	●	●	●	●	●	●	●	●	●


Nylon Tube



Working Temp. -15 ~ 90 °C

Code No.	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
NA0425-20-□	4 x 2.5	-1 ~ 20	10	9	20	488.00	25.00
NA0425-100-□	4 x 2.5	-1 ~ 20	10	9	100	2,440.00	25.00
NA0640-20-□	6 x 4	-1 ~ 20	15	17	20	836.00	42.00
NA0640-100-□	6 x 4	-1 ~ 20	15	17	100	4,180.00	42.00
NA0860-20-□	8 x 6	-1 ~ 20	24	23	20	1,184.00	60.00
NA0860-100-□	8 x 6	-1 ~ 20	24	23	100	5,920.00	60.00
NA1075-20-□	10 x 7.5	-1 ~ 20	30	36	20	1,811.00	91.00
NA1075-100-□	10 x 7.5	-1 ~ 20	30	36	100	9,055.00	91.00
NA1290-20-□	12 x 9	-1 ~ 20	36	52	20	2,647.00	133.00
NA1290-100-□	12 x 9	-1 ~ 20	36	52	100	13,235.00	133.00
NA1613-20-□	16 x 13	-1 ~ 20	80	70	20	5,085.00	255.00


Soft Nylon Tube



Working Temp. -15 ~ 90 °C

Code No.	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
NB0425-20-□	4 x 2.5	-1 ~ 13	10	9	20	488.00	25.00
NB0425-100-□	4 x 2.5	-1 ~ 13	10	9	100	2,440.00	25.00
NB0640-20-□	6 x 4	-1 ~ 13	15	17	20	836.00	42.00
NB0640-100-□	6 x 4	-1 ~ 13	15	17	100	4,180.00	42.00
NB0860-20-□	8 x 6	-1 ~ 13	24	23	20	1,184.00	60.00
NB0860-100-□	8 x 6	-1 ~ 13	24	23	100	5,920.00	60.00
NB1075-20-□	10 x 7.5	-1 ~ 13	30	36	20	1,811.00	91.00
NB1075-100-□	10 x 7.5	-1 ~ 13	30	36	100	9,055.00	91.00
NB1290-20-□	12 x 9	-1 ~ 13	36	52	20	2,647.00	133.00
NB1290-100-□	12 x 9	-1 ~ 13	36	52	100	13,235.00	133.00
NB1613-20-□	16 x 13	-1 ~ 13	80	70	20	5,085.00	255.00

Polyurethane Tube



Working Temp. -15 ~ 60 °C

Code No.	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
UB0425-100-□	4 x 2.5	-1 ~ 8	10	100	2,110.00	22.00
UB0640-100-□	6 x 4	-1 ~ 8	15	100	3,475.00	35.00
UB0850-100-□	8 x 5	-1 ~ 8	15	100	7,820.00	79.00
UB1065-100-□	10 x 6.5	-1 ~ 8	20	100	11,295.00	113.00
UB1280-100-□	12 x 8	-1 ~ 8	30	100	15,640.00	157.00
UB1611-20-□	16 x 11	-1 ~ 8	60	20	5,415.00	271.00


Soft Polyurethane Tube



Working Temp. -15 ~ 60 °C

Code No.	I.D.xO.D. mm.	Working Pressure bar	Min.Bending mm.	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
UC0425-100-□	4 x 2.5	-1 ~ 6	9	100	2,560.00	26.00
UC0640-100-□	6 x 4	-1 ~ 6	13	100	4,155.00	42.00
UC0850-100-□	8 x 5	-1 ~ 6	13	100	8,805.00	89.00
UC1065-100-□	10 x 6.5	-1 ~ 6	18	100	12,640.00	127.00
UC1280-100-□	12 x 8	-1 ~ 6	27	100	17,260.00	173.00

Insert Ring



Code No.	I.D.xO.D. mm.	ØD1	ØD2	B	Thickness (mm)	Weight kg.	Price (Excluding Vat) THB/m.
WR0320	3x2	2	2.5	n/a	0.2	n/a	100.00
WR0425	4x2.5	2.5	3	18		0.2	65.00
WR0640	6x4	4	4.5	18.5		0.35	65.00
WR0850	8x5	5	5.5	20		0.45	100.00
WR0860	8x6	6	6.5	20		0.6	100.00
WR1065	10x6.5	6.5	7	22		0.7	130.00
WR1075	10x7.5	7.5	8	22		0.8	130.00
WR1280	12x8	8	8.5	25		0.9	130.00
WR1290	12x9	9	9.5	25		1.15	160.00
WR1210	12x10	10	10.5	25		n/a	195.00
WR1611	16x11	11	11.5	27		n/a	320.00
WR1613	16x13	13	13.5	27		1.9	320.00

สายโพลีเอทิลีน อเนกประสงค์ TTT POLYETHYLENE TUBE



Features & Spec
Working Temp. -20 to 60°C
Non-PVC
JFSL 370 Certificate
Material : Polyethylene (PE)

Code No.	Size inch	O.D.xI.D. mm.	Working Pressure bar	Bursting Pressure mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
T-PT-04-10	5/32	4x2	18.5	75	0.08	10	200.00	20.00
T-PT-04-20	5/32	4x2	18.5	75	0.16	20	400.00	20.00
T-PT-04-100	5/32	4x2	18.5	75	0.80	100	2,000.00	20.00
T-PT-06-10	1/4	6x4	10	40	0.29	10	220.00	22.00
T-PT-06-20	1/4	6x4	10	40	0.58	20	440.00	22.00
T-PT-06-100	1/4	6x4	10	40	2.90	100	2,200.00	22.00
T-PT-08-10	5/16	8x6	7.5	30	0.15	10	270.00	27.00
T-PT-08-20	5/16	8x6	7.5	30	0.30	20	540.00	27.00
T-PT-08-100	5/16	8x6	7.5	30	1.50	100	2,700.00	27.00
T-PT-10-10	3/8	10x8	6	25	0.24	10	340.00	34.00
T-PT-10-20	3/8	10x8	6	25	0.48	20	680.00	34.00
T-PT-10-100	3/8	10x8	6	25	2.40	100	3,400.00	34.00
T-PT-12-10	1/2	12x10	5	20	0.36	10	360.00	36.00
T-PT-12-20	1/2	12x10	5	20	0.72	20	720.00	36.00
T-PT-12-100	1/2	12x10	5	20	3.60	100	3,600.00	36.00

สายเทฟลอน ทนความร้อน อเนกประสงค์ TTT TEFLON (PTFE) TUBE



Features & Spec
Working Temp. -60 to 260°C
Non-PVC
JFSL 370 Certificate
Material : PTFE

Code No.	Size inch	O.D.xI.D. mm.	Working Pressure bar	Bursting Pressure mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
T-TT-04-10	5/32	4x2	27	81	0.20	10	2,260.00	226.00
T-TT-04-20	5/32	4x2	27	81	0.40	20	4,520.00	226.00
T-TT-04-50	5/32	4x2	27	81	1.00	50	11,300.00	226.00
T-TT-06-10	1/4	6x4	18	54	0.34	10	3,540.00	354.00
T-TT-06-20	1/4	6x4	18	54	0.68	20	7,080.00	354.00
T-TT-06-50	1/4	6x4	18	54	1.70	50	17,700.00	354.00
T-TT-08-10	5/16	8x6	14	42	0.92	10	6,130.00	613.00
T-TT-08-20	5/16	8x6	14	42	1.84	20	12,260.00	613.00
T-TT-08-50	5/16	8x6	14	42	4.60	50	30,650.00	613.00
T-TT-10-10	3/8	10x8	12	36	0.58	10	7,330.00	733.00
T-TT-10-20	3/8	10x8	12	36	1.16	20	14,660.00	733.00
T-TT-10-50	3/8	10x8	12	36	2.90	50	36,650.00	733.00
T-TT-12-10	1/2	12x10	10	30	0.74	10	9,280.00	928.00
T-TT-12-20	1/2	12x10	10	30	1.48	20	18,560.00	928.00
T-TT-12-50	1/2	12x10	10	30	3.70	50	46,400.00	928.00

สายซิลิโคน ทนความร้อน อเนกประสงค์ TTT SILICONE TUBE



Code No.	Size inch	O.D.xI.D. mm.	Working Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
T-ST-05-15	1/4	4.5x3	1	0.20	15	1,140.00	76.00
T-ST-08-15	5/16	8x5	1	0.40	15	2,340.00	156.00
T-ST-10-15	3/8	10x6	1	1.00	15	3,435.00	229.00
T-ST-12-15	1/2	12x8	1	1.00	15	4,275.00	285.00

Features & Spec
Working Temp. -60 to 180°C
Non-PVC
JFSL 370 Certificate
Material : Silicone

สายลมพียู TTT POLYURETHANE TUBE



Features & Spec
Working Temp. -20 to 60°C
Material : Polyurethane (PU)

Code No.	O.D.xI.D. mm.	Working Pressure bar	Bursting Pressure mm.	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll
PT4-B	4x2.5	0 ~ 8	30	0.9	100	900.00
PT4-T	4x2.5	0 ~ 8	30	0.9	100	900.00
PT4-O	4x2.5	0 ~ 8	30	0.9	100	900.00
PT4-K	4x2.5	0 ~ 8	30	0.9	100	900.00
PT6-B	6x4	0 ~ 8	30	1.9	100	1,300.00
PT6-T	6x4	0 ~ 8	30	1.9	100	1,300.00
PT6-O	6x4	0 ~ 8	30	1.9	100	1,300.00
PT6-K	6x4	0 ~ 8	30	1.9	100	1,300.00
PT8-B	8x5	0 ~ 8	30	3.7	100	2,400.00
PT8-T	8x5	0 ~ 8	30	3.7	100	2,400.00
PT8-O	8x5	0 ~ 8	30	3.7	100	2,400.00
PT8-K	8x5	0 ~ 8	30	3.7	100	2,400.00
PT10-B	10x6.5	0 ~ 8	30	5.5	100	3,700.00
PT10-T	10x6.5	0 ~ 8	30	5.5	100	3,700.00
PT10-O	10x6.5	0 ~ 8	30	5.5	100	3,700.00
PT10-K	10x6.5	0 ~ 8	30	5.5	100	3,700.00
PT12-B	12x8	0 ~ 8	30	7.6	100	5,000.00
PT12-T	12x8	0 ~ 8	30	7.6	100	5,000.00
PT12-O	12x8	0 ~ 8	30	7.6	100	5,000.00
PT12-K	12x8	0 ~ 8	30	7.6	100	5,000.00



สายลมอเนกประสงค์ TOYOBLACK



Features & Spec

Working Temp. -5 to 60°C
RoHS 2 Compliant

สายลมแรงดันสูง TOYOSPRAY



Features & Spec

Working Temp. 0 to 60°C
RoHS 2 Compliant

สายพ่นยา 5 ชั้น TTT SPRAY HOSE 5 LAYERS



Features & Spec

Working Temp. 0 to 60°C

สายลมคู่งานเชื่อมแก๊ส TTT WELDER



Features & Spec

Working Temp. -25 to 80°C

Inner Tube Material : PVC
Reinforcement : Polyester Threads

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Burst Pressure		Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
				bar	psi				
TBK-6	1/4	6x11	0 ~ 10	62	900	9	100	4,700.00	47.00
TBK-8	5/16	8x13.5	0 ~ 10	62	900	13	100	6,500.00	65.00
TBK-9	3/8	9x15	0 ~ 10	62	900	15	100	6,800.00	68.00
TBK-12	1/2	12x18	0 ~ 8	62	900	19	100	8,600.00	86.00
TBK-15	5/8	15x22	0 ~ 8	62	900	27	100	11,300.00	113.00
TBK-19	3/4	19x26	0 ~ 6	50	750	16	50	7,100.00	142.00

Inner Tube Material : PVC
Reinforcement : Polyester Threads

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Burst Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
SP-8-20	5/16	8.5x14.0	0 ~ 40	150	3	20	1,460.00	73.00
SP-8-50	5/16	8.5x14.0	0 ~ 40	150	7.5	50	3,650.00	73.00
SP-8-100	5/16	8.5x14.0	0 ~ 40	150	15	100	7,300.00	73.00

Inner Tube Material : PVC
Reinforcement : Polyester Threads 2

Code No.	Size inch	I.D.xO.D. mm.	Burst Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
T-SP-8-20	5/16	8.5x15.0	250	3.6	20	1,660.00	83.00
T-SP-8-50	5/16	8.5x15.0	250	7.5	50	4,150.00	83.00
T-SP-8-100	5/16	8.5x15.0	250	15.0	100	8,300.00	83.00

Inner Tube Material : Styrene Butadiene Rubber + Nitrile Butadiene Rubber
Reinforcement : Polyester Threads

Code No.	Color Type	Size inch	I.D.xO.D. mm.	Working Pressure bar	Burst Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
TWR06	Red : Gas	1/4	6.3x13.3	20	60	32	100	10,100.00	101.00
	Yellow : Wind	1/4	6.3x13.3	20	60				

สายส่งน้ำพีวีซี TTT PVC LAY FLAT HOSE



ใช้สำหรับส่งน้ำในงานอุตสาหกรรม ก่อสร้าง การเกษตร และชลประทาน
ง่ายต่อการจัดเก็บ เสริมความแข็งแรงด้วยด้ายโพลีเอสเตอร์
ช่วยให้ทนทานต่อการใช้งานและมีความยืดหยุ่นสูง

Inner Tube Material : PVC
Reinforcement : Polyester Threads (High-Tensile Polyester Threads)

คุณภาพเยี่ยม



คุณสมบัติ

- ทนแรงดันสูง
- น้ำหนักเบา
- ทนแดด ทนฝน
- สวมง่าย
- อายุการใช้งานยาวนาน
- มีสัญลักษณ์บอกทุกระยะท่อทุก 1 เมตร



Features & Spec

Working Temp. -10 to 65°C

Code No.	Size inch	I.D.xO.D. mm.	Working Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll	Price (Excluding Vat) THB/m.
LF-38	1-1/2	40x42.2	5	20	100	3,700.00	37.00
LF-50	2	53x55.2	4	26	100	4,500.00	45.00
LF-63	2-1/2	65x67.2	4	32	100	6,100.00	31.00
LF-75	3	77x79.2	4	36	100	7,100.00	71.00
LF-100	4	103x105.5	4	55	100	10,100.00	101.00
LF-125	5	127.5x130.1	4	75	100	16,900.00	169.00
LF-150	6	154x156.6	3	45	50	9,300.00	186.00
LF-200	8	204x207.6	3	80	50	17,950.00	359.00

TTT

แคลมป์เหล็ก TTT

HOSE BAND



Zinc Plated Cr.3

Higher Rust Resistance
ทนสนิมมากกว่า

RoHS

ทนสนิมดีที่สุด

ด้วยการชุบ Chrome 3 ทำให้ทนสนิมได้ดีกว่าชุบ Zinc ทั่วไป

สินค้าได้รับมาตรฐาน RoHs

ถนนสายยางได้ดีกว่า

ด้วยสายรัดแบบขอบยก ไม่กัดรัดสาย และแคลมป์เป็นแบบไม่เจาะทะลุ

ช่วยป้องกันอุบัติเหตุ

จากการลื่นไถล ขณะขันรัดสาย ด้วยหัวน็อตแบบหัวบวกล

Technical Range

วิดีโอ เข็มขัดรัดสายยางเหล็ก
ทนสนิม (TTT Black Clamp)

Model	ขนาดสายยาง	สเปคบันทึอก	สายที่เหมาะสม / ขนาดด้านใน (มิลลิเมตร)			จำนวนชิ้น (ต่อกล่อง)	ราคา (บาทต่อชิ้น)	ราคา (บาทต่อกล่อง)
			TOYORON	TOYOSPRING	TOYOBLACK			
BC-12	8-12	3.40	4,6	6	6	10	11.00	110.00
BC-15	10-15	3.40	8,9	8,9	8,9	10	11.00	110.00
BC-20	13-20	3.40	9,10,12	9,12	9,12	10	11.00	110.00
BC-22	16-22	3.40	15	15	15	10	13.00	130.00
BC-25	18-25	4.20	15	15	15	10	13.00	130.00
BC-30	22-30	5.10	19,22	19	19	10	14.00	140.00
BC-35	25-35	5.10	25	25	-	10	14.00	140.00
BC-40	27-40	5.10	-	-	-	10	14.00	140.00
BC-45	30-45	5.10	32	32	-	10	17.00	170.00
BC-50	35-50	6.00	38	38	-	10	17.00	170.00
BC-55	40-55	6.00	-	-	-	10	17.00	170.00
BC-60	45-60	6.00	45	45	-	10	17.00	170.00
BC-70	55-70	6.80	50	50	-	10	20.00	200.00
BC-80	60-80	6.80	-	-	-	10	20.00	200.00
BC-90	70-90	6.80	63	63	-	10	22.00	220.00
BC-100	85-100	6.80	75	75	-	10	22.00	220.00
BC-110	95-110	6.80	-	90	-	10	26.00	260.00
BC-120	105-120	6.80	-	100	-	10	28.00	280.00
BC-140	110-140	6.80	-	-	-	10	28.00	280.00
BC-150	120-150	6.80	-	-	-	10	31.00	310.00
BC-165	135-165	6.00	-	-	-	10	31.00	310.00
BC-190	160-190	6.00	-	-	-	5	43.00	215.00
BC-215	185-215	6.00	-	-	-	5	49.00	245.00
BC-240	210-240	6.00	-	-	-	5	55.00	275.00
BC-270	240-270	6.00	-	-	-	5	64.00	320.00
BC-290	260-290	6.00	-	-	-	5	76.00	380.00
BC-320	290-320	6.00	-	-	-	5	85.00	425.00



THUMB UP SCREW BLACK CLAMP

+ Zinc Plated Cr.3
Higher Rust Resistance

RoHS



ใช้งานง่าย
ขันแน่นได้ด้วยมือเปล่า
ไม่ต้องใช้ไขควง

ทนสนิม
ชุบโครมทั้งสามชั้น
รวมถึงหัวน็อต
เกรดเดียวกับการชุบชิ้นส่วนรถยนต์

ถนอมสายยาง
มีการยกขอบ เพื่อป้องกันการบาดสายยาง

Code No.	ขนาดสายยางด้านนอก	TOYORON	สายยางที่เหมาะสม (ขนาดด้านใน) TOYOSPRING	TOYOBLACK	Price (Excluding Vat) THB/piece
TBC-12	8-12	4,6	6	6	22.00
TBC-15	10-15	8,9	8,9	8,9	22.00
TBC-20	13-20	9,10,12	9,12	9,12	23.00
TBC-22	16-22	15	15	15	23.00
TBC-25	18-25	15	15	15	25.00
TBC-30	22-30	19,22	19	19	28.00
TBC-35	25-35	25	25	-	29.00

สายยางรดน้ำต้นไม้ TOYOX MIZUMAKI



ขนาด 15x20 mm.
(5 หุน)




แรงดันใช้งาน
7 บาร์



อุณหภูมิใช้งาน
1-60°C

คุณสมบัติ



สายยางทึบ
เสริมโครงสร้าง
โพสโอสเตอร์ดี




นิ่มโค้งงอตัวดี
พับหรือเหยียบแล้ว
สายไม่หัก ไม่แตก
ไม่รั่ว



ไม่มีกลิ่น
ไม่มีสารพิษ
ได้รับมาตรฐาน
สุขอนามัย
ด้านอาหารจากญี่ปุ่น



รับแรงดันได้
มากกว่า
ด้านอาหารจากญี่ปุ่น



แข็งแรง
ทนทาน



ไม่เป็นตะไคร่



สามารถต่อ
กับหัวฉีด
รดน้ำได้

Code No.	I.D.xO.D. mm.	Working Pressure Bar	Burst Pressure Bar	Weight (kg./roll)	Length (m./roll)	Price (Excluding Vat) THB/m.
MMH-1510T	15 x 20	0 ~ 7	20	1.5	10	510.00
MMH-1520T	15 x 20	0 ~ 7	20	3	20	1,010.00
MMH-1530T	15 x 20	0 ~ 7	20	4.5	30	1,500.00
MMH-15120T	15 x 20	0 ~ 7	20	18	120	5,950.00

TOYOFIT HOSE

สายยางโตโยฟิต ไม่บิดพันกัน ทนการลากถู



Code No.	I.D.xO.D. mm.	Working Pressure bar	Burst Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll
FTH-1510BL	15 x 20	0 ~ 7	21	1.5	10	1,320.00
FTH-1520BL	15 x 20	0 ~ 7	21	3	20	2,640.00
FTH-1530BL	15 x 20	0 ~ 7	21	4.5	30	3,965.00

TOYOFIT REEL

ชุดโรลม้วนสายยางโตโยฟิต ไม่บิดพันกัน



Code No.	I.D.xO.D. mm.	Working Pressure bar	Burst Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll
SFTR-15S	13.5x18	0 ~ 7	20	6	15	4,230.00
SFTR-20S	13.5x18	0 ~ 7	20	6.5	20	4,725.00
SFTR-30S	13.5x18	0 ~ 7	20	8	30	5,715.00

ORENRI REEL

ชุดโรลม้วนสายยางโอเรนรี ไม่พัน ไม่บิด ไม่แบน



Code No.	I.D.xO.D. mm.	Working Pressure bar	Burst Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll
EXR-15S	13 x 19	0 ~ 7	20	6	15	5,155.00
EXR-30S	13 x 19	0 ~ 7	20	8	30	8,785.00

NOZZLE ACCESSORIES

ปืนฉีดน้ำ รถน้ำดันไม้ สามารถปรับรูปแบบ

หัวฉีดได้ 5 รูปแบบ และชุดต่อสายยางมีมาตรฐาน ไม่รั่ว

SP-4



SP-5



SP-12N



Code No.	Dimension WxLxH (mm.)	Working Pressure bar	Burst Pressure bar	Price (Excluding Vat) THB/roll
SP-4	15x4x5	0 ~ 7	0.1	460.00
SP-5	20.5x19x6	0 ~ 7	0.2	595.00
SP-12N	20.5x19x7	0 ~ 7	0.3	725.00



สินค้าใหม่
นำเข้ามาจากญี่ปุ่น

自動巻きホースリール 日本製

AUTO STEP

พร้อมชุดต่อที่ออกน้ำ และหัวฉีดรดน้ำปรับแรงดัน

ม้วนเก็บอัตโนมัติ 2 วินาที

แค่เหยียบ
ก็เรียบร้อย

15m.



ID x OD :
9.5x13 mm.

อุณหภูมิใช้งาน :
60°C

แรงดันใช้งาน :
0.1-0.7 Mpa

คุณสมบัติ




Code No.	I.D.xO.D. mm.	Working Pressure bar	Burst Pressure bar	Weight kg./roll	Length m./roll	Price (Excluding Vat) THB/roll
AAS09-15	9.5x13	0 ~ 7	20	4	15	6,060.00



สายยางเกษตรใส คุณภาพดี นุ่ม KINGKONG CLEAR



KINGKONG HOSE



Code No.	I.D.xO.D. mm.	Working Pressure bar (60°C)	Weight kg/roll	Thick mm.	Length m/roll	Price (Include Vat) THB/kg.
KTT-3 (2 Kg.)	3 x 5	0 ~ 3	2	1	100	103.00
KTT-5 (3 Kg.)	5 x 7.5	0 ~ 3	3	1.25	100	103.00
KTT-6 (4 Kg.)	6 x 8.5	0 ~ 3	4	1.25	100	103.00
KTT-8 (5 Kg.)	7.5 x 10	0 ~ 3	5	1.25	100	103.00
KTT-9 (6 Kg.)	9 x 12	0 ~ 3	6	1.5	100	103.00
KTT-12 (10 Kg.)	12.5 x 16	0 ~ 3	10	1.75	100	103.00
KTT-15 (15 Kg.)	15.5 x 19.5	0 ~ 3	15	2	100	103.00
KTT-19 (20 Kg.)	19 x 23	0 ~ 3	20	2	100	103.00
KTT-25 (20 Kg.)	25 x 29	0 ~ 3	20	2	100	103.00
KTT-32 (20 Kg.)	31.5 x 36	0 ~ 2	20	2.25	50	103.00
KTT-38 (20 Kg.)	37.5 x 42	0 ~ 2	20	2.25	50	103.00
KTT-50 (20 Kg.)	50 x 56	0 ~ 2	20	3	30	103.00
KTT-75 (11 Kg.)	75 x 77.5	0 ~ 2	11	1.25	30	103.00

Code No.	I.D.xO.D. mm.	Working Pressure bar (60°C)	Weight kg/roll	Thick mm.	Length m/roll	Price (Include Vat) THB/roll
KTT12-10	12.5 x 16	0 ~ 3	1	1.75	10	115.00
KTT12-15	12.5 x 16	0 ~ 3	1.5	1.75	15	175.00
KTT12-20	12.5 x 16	0 ~ 3	2	1.75	20	230.00
KTT12-30	12.5 x 16	0 ~ 3	3	1.75	30	345.00
KTT15-10	15.5 x 19.5	0 ~ 3	1.5	2	10	175.00
KTT15-15	15.5 x 19.5	0 ~ 3	2.25	2	15	260.00
KTT15-20	15.5 x 19.5	0 ~ 3	3	2	20	345.00
KTT15-30	15.5 x 19.5	0 ~ 3	4.5	2	30	515.00
KTT19-10	19 x 23	0 ~ 3	2	2	10	230.00
KTT19-15	19 x 23	0 ~ 3	3	2	15	345.00
KTT19-20	19 x 23	0 ~ 3	4	2	20	455.00
KTT19-30	19 x 23	0 ~ 3	6	2	30	685.00
KTT25-10	25 x 29	0 ~ 3	2	2	10	230.00
KTT25-15	25 x 29	0 ~ 3	3	2	15	345.00
KTT25-20	25 x 29	0 ~ 3	4	2	20	455.00
KTT25-30	25 x 29	0 ~ 3	6	2	30	685.00
KTT25-50	25 x 29	0 ~ 3	10	2	50	1,075.00

สายยางฟ้าแดง เนื้อดี ทนแดดดีเยี่ยม KINGKONG BLUE



KINGKONG HOSE



Code No.	I.D.xO.D. mm.	Working Pressure bar (60°C)	Weight kg/roll	Thick mm.	Length m/roll	Price (Include Vat) THB/kg.
KGH-12 (13 Kg.)	12.5 x 16	0 ~ 3	13	1.75	100	106.00
KGH-15 (17 Kg.)	15 x 20.5	0 ~ 3	17	2.75	100	106.00
KGH-19 (24 Kg.)	19 x 24.5	0 ~ 3	24	2.75	100	106.00
KGH-25 (44 Kg.)	25 x 32	0 ~ 3	44	3.5	100	106.00
KGH-32 (30 Kg.)	32 x 39	0 ~ 2	30	3.5	50	106.00
KGH-38 (35 Kg.)	38 x 45	0 ~ 2	35	3.5	50	106.00
KGH-50 (40 Kg.)	50 x 57	0 ~ 2	40	3.5	30	106.00

Code No.	I.D.xO.D. mm.	Working Pressure bar (60°C)	Weight kg/roll	Thick mm.	Length m/roll	Price (Include Vat) THB/roll
KGH12-10	12.5 x 16	0 ~ 3	1.3	1.75	10	160.00
KGH12-15	12.5 x 16	0 ~ 3	1.95	1.75	15	245.00
KGH12-20	12.5 x 16	0 ~ 3	2.6	1.75	20	320.00
KGH12-30	12.5 x 16	0 ~ 3	3.9	1.75	30	480.00
KGH15-10	15 x 20.5	0 ~ 3	1.7	2.75	10	210.00
KGH15-15	15 x 20.5	0 ~ 3	2.55	2.75	15	315.00
KGH15-20	15 x 20.5	0 ~ 3	3.4	2.75	20	420.00
KGH15-30	15 x 20.5	0 ~ 3	5.1	2.75	30	630.00
KGH15-50	15 x 20.5	0 ~ 3	8.5	2.75	50	980.00
KGH19-10	19 x 24.5	0 ~ 3	2.4	2.75	10	300.00
KGH19-15	19 x 24.5	0 ~ 3	3.6	2.75	15	445.00
KGH19-20	19 x 24.5	0 ~ 3	4.8	2.75	20	595.00
KGH19-30	19 x 24.5	0 ~ 3	7.2	2.75	30	885.00
KGH19-50	19 x 24.5	0 ~ 3	12	2.75	50	1,470.00
KGH25-10	25 x 32	0 ~ 3	4.4	3.5	10	545.00
KGH25-15	25 x 32	0 ~ 3	6.6	3.5	15	815.00
KGH25-20	25 x 32	0 ~ 3	8.8	3.5	20	1,085.00
KGH25-30	25 x 32	0 ~ 3	13.2	3.5	30	1,625.00
KGH25-50	25 x 32	0 ~ 3	22	3.5	50	2,700.00